

LITERATUR

DENT IMPLANTOL (18)8 2014, S. 620-629

Dr. Dr. Shahram Ghanaati / Dr. Jonas Lorenz

Histologische, histomorphometrische und klinische Analyse des Einflusses der Einheilzeit eines synthetischen Knochenersatzmaterials bei der Sinusbodenaugmentation

- [1] Tatum OH. Maxillary sinus grafting for endosseous implants. Presented at the Annual Meeting of the Alabama Implant Study Group. Birmingham, AL, April 1977.
- [2] Boyne PJ, James RA. Grafting of the maxillary sinus floor with autogenous marrow and bone. *J Oral Surg* 1980; 38:613–616.
- [3] Del Fabbro M, Rosano G, Taschieri S. Implant survival rates after maxillary sinus augmentation. *Eur J Oral Sci.* 2008;116:497– 506.
- [4] Tadjoeidin ES, DeLange GL, Lyaruu DM, Kuiper L, Burger EH. High concentrations of bioactive glass material (BioGran®) vs. autogenous bone for sinus floor elevation. *Clin Oral Implants Res* 2002; 13:428–436.
- [5] Jensen OT, Sennerby L. Histologic analysis of clinically retrieved titanium microimplants placed in conjunction with maxillary sinus floor augmentation. *Int J Oral Maxillofac Implants* 1998; 13:513–521.
- [6] Kessler P, Thorwarth M, Bloch-Birkholz A, Nkenke E, Neukam FW. Harvesting of bone from the iliac crest – comparison of the anterior and posterior sites. *Br J Oral Maxillofac Surg* 2005; 43:51–56.
- [7] AlGhamdi AS, Shibly O, Ciancio SG. Osseous grafting part II: xenografts and alloplasts for periodontal regeneration – a literature review. *J Int Acad Periodontol* 2010; 12:39–44.
- [8] Hising P, Bolin A, Braning C. Reconstruction of severely resorbed alveolar crests with dental implants using a bovine mineral for augmentation. *Int J Oral Maxillofac Implants* 2001; 16:90–97.
- [9] Hallman M, Hedin M, Sennerby L, Lundgren S. A prospective 1-year clinical and radiographic study of implants placed after maxillary sinus floor augmentation with bovine hydroxyapatite and autogenous bone. *J OralMaxillofac Surg* 2002; 60:277–284.
- [10] Froum SJ, Wallace SS, Elian N, Cho SC, Tarnow DP. Comparison of mineralized cancellous bone allograft (Puros) and anorganic bovine bone matrix (Bio-Oss) for sinus augmentation: histomorphometry at 26 to 32 weeks after grafting. *Int J Periodontics Restorative Dent* 2006; 26:543–551.
- [11] Damien CJ, Parsons JR. Bone graft and bone graft substitutes: a review of current technology and applications. *J Appl Biomater* 1991; 2:187–208.
- [12] Pareek A, Torrelles X, Rius J, Magdams U, Gies H. Role of water in the surface relaxation of the fluorapatite (1 0 0) surface by grazing incidence x-ray diffraction. *Phys Rev* 2007; B75:035418.
- [13] Barrère F, van Blitterswijk CA, de Groot K. Bone regeneration: molecular and cellular interactions with calcium phosphate ceramics. *Int J Nanomedicine* 2006; 1:317–332.
- [14] Kang YM, Kim KH, Seol YJ, Rhee SH. Evaluations of osteogenic and osteoconductive properties of a non-woven silica gel fabric made by the electrospinning method. *Acta Biomater* 2009; 5:462–469.
- [15] Gerber T, Traykova T, Henkel KO, Bienengraeber V. Development and in vivo test of sol-gel derived bone grafting materials. *J Sol-Gel Sci Technol* 2003; 26:1173–1178.

- [16] Gerber T, Holzhueter G, Knoblich B, Doerfling P, Bienengraeber V, Henkel KO. Development of bioactive sol-gel material template for in vitro and in vivo synthesis of bone material. *J Sol-Gel Sci Technol* 2000; 19:441–445.
- [17] Bienengräber V, Gerber T, Henkel KO, Bayerlein T, Proff P, Gedrange T. The clinical application of a new synthetic bone grafting material in oral and maxillofacial surgery. *Folia Morphol (Warsz)* 2006; 65:84–88.
- [18] Götz W, Gerber T, Michel B, Lossdörfer S, Henkel KO, Heinemann F. Immunohistochemical characterization of nanocrystalline hydroxyapatite silica gel (NanoBone) osteogenesis: a study on biopsies from human jaws. *Clin Oral Implants Res* 2008; 19:1016–1026.
- [19] Porter AE, Patel N, Skepper JN, Best SM, Bonfield W. Effect of sintered silicate-substituted hydroxyapatite on remodeling processes at the bone-implant interface. *Biomaterials* 2004; 25:3303–3314.
- [20] Ghanaati S, Orth C, Barbeck M, et al. Histological and histomorphometrical analysis of a silica matrix embedded nanocrystalline hydroxyapatite bone substitute using the subcutaneous implantation model in Wistar rats. *Biomed Mater* 2010; 5:035005.
- [21] Ghanaati S, Udeabor SE, Barbeck M, et al. Implantation of silicon dioxide-based nanocrystalline hydroxyapatite and pure phase beta-tricalciumphosphate bone substitute granules in caprine muscle tissue does not induce new bone formation. *Head Face Med* 2013;9:1.
- [22] Ghanaati S, Stübinger S, Orth C, et al. Maxillary sinus grafting with a nano-structured biomaterial: preliminary clinical and histological results. *Eur Surg Res* 2009; 42:143–149.
- [23] Ghanaati S, Barbeck M, Lorenz J, et al. Synthetic bone substitute material comparable with xenogeneic material for bone tissue regeneration in oral cancer patients: First and preliminary histological, histomorphometrical and clinical results. *Ann Maxillofac Surg* 2013; 3(2):126–38.
- [24] Graziani F, Donos N, Needleman I, Gabriele M, Tonetti M. Comparison of implant survival following sinus floor augmentation procedures with implants placed in pristine posterior maxillary bone: a systematic review. *Clin Oral Implants Res*. 2004;15:677–682.
- [25] Buser D, Mericske-Stern R, Bernard JP, et al. Long-term evaluation of non-submerged ITI implants. Part 1: 8-year life table analysis of a prospective multi-center study with 2359 implants. *Clin Oral Implants Res*. 1977;8:161–172.
- [26] Zerbo IR, Bronckers AL, de Lange GL, van Beek GJ, Burger EH. Histology of human alveolar bone regeneration with a porous tricalcium phosphate. A report of two cases. *Clin Oral Implants Res* 2001; 12:379–384.
- [27] Frenken JW, Bouwman WF, Bravenboer N, Zijdeveld SA, Schulten EA, ten Bruggenkate CM. The use of Straumann Bone Ceramic in a maxillary sinus floor elevation procedure: a clinical, radiological, histological and histomorphometric evaluation with a 6-month healing period. *Clin Oral Implants Res* 2010; 21:201–208.
- [28] Canullo L, Dellavia C, Heinemann F. Maxillary sinus floor augmentation using a nanocrystalline hydroxyapatite silica gel: case series and 3-month preliminary histological results. *Ann Anat* 2011 (Epub ahead of print).
- [29] Tarnow DP, Wallace SS, Froum SJ, Rohrer MD, Cho SC. Histologic and clinical comparison of bilateral sinus floor elevations with and without barrier membrane placement in 12 patients: part 3 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 2000; 20:117–125.
- [30] Olson JW, Dent CD, Dominici JT, et al. The influence of maxillary sinus augmentation on the success of dental implants through second-stage surgery. *Implant Dent*. 1997;6:225–228.