

Literatur

Kieferknochen schneiden und bohren mit Fräsen, Bohrern, Laser und Piezotomen

Eine systematische aktuelle Überprüfung des Standes der Technik und Empfehlungen für den Kliniker

Prof.Dr.Dr. Angelo Troedhan, Dr.Dr. Ziad Tarek Mahmoud,

Prof.Dr. Marcel Wainwright, Univ.Prof.Dr. Moataz Mohamed Khamis

1. Möhlhenrich SC, Modabber A, Steiner T, Mitchell DA, Hölzle F. (2015) Heat generation and drill wear during dental implant site preparation: Systematic review. *Br J Oral Maxillofac Surg* 53(8):679–89.
2. Siegel SC, von Fraunhofer JA. Irrigating solution and pressure effects on tooth sectioning with surgical burs. (1999) *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 87(5):552–6.
3. Rood JP. Permanent damage to inferior alveolar and lingual nerves during the removal of impacted mandibular third molars. Comparison of two methods of bone removal. (1992) *Br Dent J.* 172(3):108–10.
4. Hogg NJ V, Morrison AD. Resterilization of instruments used in a hospital-based oral and maxillofacial surgery clinic. (2005) *J Can Dent Assoc (Tor).* 71(3):179–82.
5. Parker S. Surgical lasers and hard dental tissue. (2007) *Br Dent J.* 202(8):445–54. [doi: 10.1038/bdj.2007.294]
6. Colucci V, Amaral FLB, Pecora JD, Palma-Dibb RG, Corona SAM. (2009) Water flow on erbium: yttrium–aluminum–garnet laser irradiation: effects on dental tissues. *Lasers Med Sci.* 24(5):811–8.
7. Kautzky M, Troedhan A, Susani M, Schenk P. Infrared laser stapedotomy. (1991) *Eur Arch Oto-Rhino-Laryngology.* 248(8):449–51.
8. Moslemi N, Shahnaz A, Masoumi S, Torabi S, Akbari S. (2017) Laser-Assisted Osteotomy for Implant Site Preparation. *Implant Dent.* 26(1):129–36. [doi: 10.1097/ID.0000000000000475]
9. Pavlíková G, Foltán R, Horká M, Hanzelka T, Borunská H, Sedý J. Piezosurgery in oral and maxillofacial surgery. (2011) *Int J Oral Maxillofac Surg.* 40(5):451–7. [doi: 10.1016/j.ijom.2010.11.013]
10. Pereira CCS, Gealh WC, Meorin-Nogueira L, Garcia-Júnior IR, Okamoto R. (2014) Piezosurgery Applied to Implant Dentistry: Clinical and Biological Aspects. *J Oral Implantol.* 40(S1):401–8. [doi: 10.1563/AAID-JOI-D-11-00196]
11. Agarwal E, Masamatti SS, Kumar A. (2014) Escalating role of piezosurgery in dental therapeutics. *J Clin Diagnostic Res.* 8(10):ZE08–ZE11. [doi: 10.7860/JCDR/2014/9161.4988]

12. Troedhan AC, Kurrek A, Wainwright M, Jank S. (2010) Hydrodynamic Ultrasonic Sinus Floor Elevation-An Experimental Study in Sheep. *J Oral Maxillofac Surg.* 68(5):1125–30. [doi 10.1016/j.joms.2009.12.014]
13. Stoetzer M, Felgenträger D, Kampmann A, Schumann P, Rucker M, Gellrich NC, et al. (2014) Effects of a new piezoelectric device on periosteal microcirculation after subperiosteal preparation. *Microvasc Res.* 94:114–8. [doi: 10.1016/j.mvr.2014.06.003]
14. Rajitha Gunaratne GD, Khan R, Fick D, Robertson B, Dahotre N, Ironside C. (2017) A review of the physiological and histological effects of laser osteotomy. *J Med Eng Technol.* 41(1):1–12. [doi 10.1080/03091902.2016.1199743]
15. Moslemi N, Shahnaz A, Masoumi S, Torabi S, Akbari S. (2017) Laser-Assisted Osteotomy for Implant Site Preparation. *Implant Dent.* 26(1):129–36.
16. Waechter J, Leite FR, Nascimento GG, Carmo Filho LC, Faot F. (2017) The split crest technique and dental implants: a systematic review and meta-analysis. *Int J Oral Maxillofac Surg.* 46(1):116–28. [doi 10.1016/j.ijom.2016.08.017]
17. Wallace SS, Tarnow DP, Froum SJ, Cho SC, Zadeh HH, Stoupel J, et al. (2012) Maxillary sinus elevation by lateral window approach: Evolution of technology and technique. *J Evid Based Dent Pract.* 12(3 SUPPL.):161–71. [doi 10.1016/S1532-3382(12)70030-1]
18. Atieh M, Alsabeeha N, Tawse-Smith A, Faggion C, Duncan W. (2015) Piezoelectric Surgery vs Rotary Instruments for Lateral Maxillary Sinus Floor Elevation: A Systematic Review and Meta-Analysis of Intra- and Postoperative Complications. *Int J Oral Maxillofac Implants.* 30(6):1262–71. [doi 10.11607/jomi.3895]
19. Alfawal AMH, Hajeer MY, Ajaj MA, Hamadah O, Brad B. (2016) Effectiveness of minimally invasive surgical procedures in the acceleration of tooth movement: a systematic review and meta-analysis. *Prog Orthod.* 17(1):33. [doi 10.1186/s40510-016-0146-9]
20. Jiang Q, Qiu Y, Yang C, Yang J, Chen M, Zhang Z. (2015) Piezoelectric Versus Conventional Rotary Techniques for Impacted Third Molar Extraction. *Medicine (Baltimore).* 94(41):e1685. [doi 10.1097/MD.0000000000001685]
21. Badenoch-Jones EK, David M, Lincoln T. (2016) Piezoelectric compared with conventional rotary osteotomy for the prevention of postoperative sequelae and complications after surgical extraction of mandibular third molars: a systematic review and meta-analysis. *Br J Oral Maxillofac Surg.* 54(10):1066–79. [doi 10.1016/j.bjoms.2016.07.020]
22. Al-Moraissi EA, Elmansi YA, Al-Sharaee YA, Alrmali AE, Alkhatari AS. (2016) Does the piezoelectric surgical technique produce fewer postoperative sequelae after lower third molar surgery than conventional rotary instruments? A systematic review and meta analysis. *Int J Oral Maxillofac Surg.* 45(3):383–91. [doi 10.1016/j.ijom.2015.10.005]
23. Farag A, Kellesarian S, Javed F, Arany S. (2016) Efficacy of Piezosurgery versus Conventional Techniques in the Surgical Extraction of Third Molars : A Systematic Review. *J Dent.* 2(3):1015.
24. Magesty RA, Galvão L, De Castro Martins C, Rocha CR, Santos DCRR, Falci GM. (2017) Rotary Instrument or Piezoelectric for the Removal of Third Molars: a Meta-Analysis. *J Maxillofac Oral Surg.* 16(1):13–21. [doi 10.1007/s12663-016-0938-y]
25. Lee S-Y, Piao C, Heo S-J, Koak J-Y, Lee J-H, Kim T-H, et al. (2010) A comparison of bone bed preparation with laser and conventional drill on the relationship between implant stability quotient

(ISQ) values and implant insertion variables. *J Adv Prosthodont.* 2(4):148–53. [doi 10.4047/jap.2010.2.4.148]

26. de Oliveira GJ, Rodrigues CN, Perussi LR, Rastelli AN, Marcantonio RA, Berbert FL. (2016) Effects on Bone Tissue After Osteotomy with Different High-Energy Lasers: An Ex Vivo Study. *Photomed Laser Surg.* X(X):1–6. [doi 10.1089/pho.2015.3917]

27. Zhang YX, Xie S, Zhan Z, Zhao H, Guo J, Ye Q. (2010) Evaluation of Er, Cr: YSGG laser for hard tissue ablation: an in vitro study. *Front Optoelectron China.* 3(2):291–6.

28. Panduric DG, Juric IB, Music S, Molčanov K, Sušić M, Anić I. (2014) Morphological and Ultrastructural Comparative Analysis of Bone Tissue After Er:YAG Laser and Surgical Drill Osteotomy. *Photomed Laser Surg* 32: 401 [doi 10.1089/pho.2014.3711]

29. 1. Pandurić DG, Bago I, Katanec D, Žabkar J, Miletić I, Anić I. (2012) Comparison of Er:YAG Laser and surgical drill for osteotomy in oral surgery: An experimental study. *J Oral Maxillofac Surg.* 70(11):2515–21. [doi: 10.1016/j.joms.2012.06.192]

30. Simonetti M, Facco G, Barberis F, Signorini G, Capurro M, Rebaudi A, et al. (2013) Bone characteristics following osteotomy surgery : an in vitro SEM study comparing traditional Lindemann drill with sonic and ultrasonic instruments. *Poseido J.* 1(3):187–94.

31. Sagheb K, Kumar V V., Azaripour A, Walter C, Al-Nawas B, Kaemmerer PW. (2017) Comparison of conventional twist drill protocol and piezosurgery for implant insertion: an ex vivo study on different bone types. *Clin Oral Implants Res.* 28(2):207–13. [doi 10.1111/clr.12783]

32. Scarano A, Cappucci C, Mancino C, Iezzi G, Sinjiari B, Brunelli G, et al. (2011) Comparison of Conventional Drills and Ultrasonic Osteotomy for Dental Implant Site Preparation : a Histological Analysis in Bovine Ribs. *Eur J Inflamm.* 9(2):85–9.

33. Stelzle F, Frenkel C. (2014) The effect of load on heat production, thermal effects and expenditure of time during implant site preparation—an experimental ex vivo comparison between. *Clin Oral Implants Res.* 25(2):e140–8. [doi 10.1111/clr.12077]

34. Rashad A, Sadr-Eshkevari P, Heiland M, Smeets R, Prochnow N, Hoffmann E, et al. (2015) Practitioner experience with sonic osteotomy compared to bur and ultrasonic saw: A pilot in vitro study. *Int J Oral Maxillofac Surg.* 44(2):203–8. [doi 10.1016/j.ijom.2014.09.004]

35. Heinemann F, Hasan I, Kunert-Keil C, Götz W, Gedrange T, Spassov A, et al. (2012) Experimental and histological investigations of the bone using two different Oscillating Osteotomy techniques compared with conventional rotary osteotomy. *Ann Anat.* 194(2):165–70. [doi 10.1016/j.aanat.2011.10.005]

36. Catros S, Montaudon M, Bou C, Da Costa Noble R, Fricain JC, Ella B. (2015) Comparison of Conventional Transcrestal Sinus Lift and Ultrasound-Enhanced Transcrestal Hydrodynamic Cavitation Sinus Lift for the Filling of Subantral Space: A Human Cadaver Study. *J Oral Implantol.* 41(6):657–61. [doi 10.1563/aaid-joi-D-14-00038]

37. Jank S, Kurrek A, Wainwright M, Bek VE, Troedhan A. (2011) Rupture length of the sinus membrane after 1.2 mm puncture and surgical sinus elevation: An experimental animal cadaver study. *Oral Surgery, Oral Med Oral Pathol Oral Radiol Endodontology.* 112(5):568–72. [doi 10.1016/j.tripleo.2010.11.014]

38. Rashad A, Sadr-Eshkevari P, Heiland M, Smeets R, Hanken H, Gröbe A, et al. (2015) Intraosseous heat generation during sonic, ultrasonic and conventional osteotomy. *J Cranio-Maxillofacial Surg.* 43(7):1072–7. [doi 10.1016/j.jcms.2015.05.018]
39. Rashad A, Sadr-Eshkevari P, Weuster M, Schmitz I, Prochnow N, Maurer P. (2013) Material attrition and bone micromorphology after conventional and ultrasonic implant site preparation. *Clin Oral Implants Res.* 24(A100):110–4. [doi 10.1111/j.1600-0501.2011.02389.x]
40. Seoane J, Lopez-Nino J, Garcia-Caballero L, Seoane-Romero JM, Tomas I, Varela-Centelles P. (2013) Membrane perforation in sinus floor elevation—piezoelectric device versus conventional rotary instruments for osteotomy: an experimental study. *Clin Implant Dent Relat Res.* 15(6):867–73.
41. Maurer P, Kriwalsky MS, Block Veras R, Vogel J, Syrowatka F, Heiss C. (2008) Micromorphometrical analysis of conventional osteotomy techniques and ultrasonic osteotomy at the rabbit skull. *Clin Oral Implants Res.* 19(6):570–5. [doi 10.1111/j.1600-0501.2007.01516.x]
42. Perfetti G, De Tullio I, Berardi D, Di Iorio D, Spoto G, Scarano A. (2012) Micromorphometrical and histological analyses using two different oscillating osteotomy techniques compared with conventional rotary osteotomy. *J Biol Regul Homeost Agents.* 26(2):81–8.
43. Gandhi SA, Baker JA, Bairam L, Kim H-I, Davis EL, Andreana S. (2014) Primary Stability Comparison Using Piezoelectric or Conventional Implant Site Preparation Systems in Cancellous Bone. *Implant Dent.* 23(1):79–84. [doi 10.1097/ID.0000000000000022]
44. Kühl S, Kirmeier R, Platzer S, Bianco N, Jakse N, Payer M. (2016) Transcrestal maxillary sinus augmentation: Summers' versus a piezoelectric technique - an experimental cadaver study. *Clin Oral Implants Res.* 27(1):126–9. [doi 10.1111/clr.12546]
45. Scarano A, Iezzi G, Perroti V, Tete S, Staiti G, Mortellaro C, et al. (2014) Ultrasonic versus drills implant site preparation: a histologic analysis in bovine ribs. *J Craniofac Surg.* 25(3):814–7.
46. Rashad A, Sadr-Eshkevari P, Heiland M, Smeets R, Prochnow N, Hoffmann E. (2015) Practitioner experience with sonic osteotomy compared to bur and ultrasonic saw: A pilot in vitro study. *Int J Oral Maxillofac Surg.* 44(2):203–8. [doi 10.1016/j.ijom.2014.09.004]
47. Llopet J, Montaudon M, Guillaud E, Ella B. (2014) Comparison of 2 Crestal Sinus Floor Lift Techniques Performed on Human Cadavers. *Implant Dent.* 23(5):626–32. [doi 10.1097/ID.0000000000000143]
48. Romeo U, del Vecchio A, Palaia G, Tenore G, Visca P, Maggiore C. (2009) Bone damage induced by different cutting instruments - An in vitro study. *Braz Dent J.* 20(2):162–8.
49. Matys J, Flieger R, Dominiak M. (2016) Assessment of Temperature Rise and Time of Alveolar Ridge Splitting by Means of Er:YAG Laser, Piezosurgery, and Surgical Saw: An Ex Vivo Study. *Biomed Res Int.* 2016(ID 9654975):8p. [doi 10.1155/2016/9654975]
50. Hollstein S, Hoffmann E, Vogel J, Heyroth F, Prochnow N, Maurer P. (2012) Micromorphometrical analyses of five different ultrasonic osteotomy devices at the rabbit skull. *Clin Oral Implants Res.* 23(6):713–8. [doi 10.1111/j.1600-0501.2011.02185.x]
51. Bauer SEM, Romanos GE. (2014) Morphological Characteristics of Osteotomies Using Different Piezosurgical Devices. A Scanning Electron Microscopic Evaluation. *Implant Dent.* 23(3):334–42. [doi 10.1097/ID.0000000000000077]

52. Delgado-Ruiz RA, Sacks D, Palermo A, Calvo-Guirado JL, Perez-Albacete C, Romanos GE. (2016) Temperature and time variations during osteotomies performed with different piezosurgical devices: an in vitro study. *Clin Oral Implants Res.* 27(9):1137–43. [doi 10.1111/clr.12709]
53. Harder S, Wolfart S, Mehl C, Kern M. (2009) Performance of ultrasonic devices for bone surgery and associated intraosseous temperature development. *Int J Oral Maxillofac Implants.* 24(3):484–90.
54. Stacchi C, Berton F, Turco G, Franco M, Navarra CO, Andolsek F, et al. (2016) Micromorphometric analysis of bone blocks harvested with eight different ultrasonic and sonic devices for osseous surgery. *J Cranio-Maxillofacial Surg.* 44(9):1143–51. [doi 10.1016/j.jcms.2016.04.024]
55. Jung M-K, Kim S-G, Oh J-S, Jin S-C, Lee S-Y, Jang E-S, et al. (2012) A Comparative Histological Study of Bone Healing in Rat Calvarial Defect Using the Erbium-Doped Yttrium Aluminum Garnet Laser and Rotary Instruments. *Jpn J Appl Phys.* 51(1):01AE02. [doi 10.1143/JJAP.51.01AE02]
56. Kuttenger JJ, Waibel A, Stübinger S, Werner M, Klasing M, Ivanenko M, et al. (2010) Bone healing of the sheep tibia shaft after carbon dioxide laser osteotomy: Histological results. *Lasers Med Sci.* 25(2):239–49. [doi 10.1007/s10103-009-0714-z]
57. Cloutier M, Girard B, Peel SAF, Wilson D, Sándor GKB, Clokie CML, et al. (2010) Calvarial bone wound healing: A comparison between carbide and diamond drills, Er:YAG and Femtosecond lasers with or without BMP-7. *Oral Surgery, Oral Med Oral Pathol Oral Radiol Endodontology.* 110(6):720–8. [doi 10.1016/j.tripleo.2010.04.003]
58. De Mello EDA, Pagnoncelli RM, Munin E, Filho MSA, De Mello GPS, Arisawa EAL, et al. (2008) Comparative histological analysis of bone healing of standardized bone defects performed with the Er:YAG laser and steel burs. *Lasers Med Sci.* 23(3):253–60. [doi 10.1007/s10103-007-0475-5]
59. Perussi LR, Pavone C, De Oliveira GJPL, Cerri PS, Marcantonio RAC. (2012) Effects of the Er,Cr:YSGG laser on bone and soft tissue in a rat model. *Lasers Med Sci.* 27(1):95–102.
60. Esteves JC, de Souza Faloni AP, Macedo PD, Nakata PB, Chierici Marcantonio RA, Intini G, et al. (2016) Effects on Bone Repair of Osteotomy With Drills or With Erbium, Chromium: Yttrium-Scandium-Gallium-Garnet Laser: Histomorphometric and Immunohistochemical Study. *J Periodontol.* 87(4):452–60. [doi 10.1902/jop.2015.150406]
61. Akyol UK, Güngörmüş M. (2010) Er: YAG laser ablation of bone in experimental diabetics. *Photomed Laser Surg.* 28(4):477–82.
62. Lo DD, MacKanos MA, Chung MT, Hyun JS, Montoro DT, Grova M, et al. (2012) Femtosecond plasma mediated laser ablation has advantages over mechanical osteotomy of cranial bone. *Lasers Surg Med.* 44(10):805–14. [doi 10.1002/lsm.22098]
63. Akyol UK, Güngörmüş M, Gündođdu C, Erdem H. (2009) Histologic Evaluation of the Effects of Er : YAG Laser on Bone Ablation. *J Contemp Dent Pract.* 10(5):1–7.
64. Salina S, Maiorana C, Iezzi G, Colombo A, Fontana F, Piattelli A. (2006) Histological evaluation, in rabbit tibiae, of osseointegration of mini-implants in sites prepared with Er:YAG laser versus sites prepared with traditional burs. *J Long Term Eff Med Implants.* 16(2):145–56. [doi 10.1615/JLongTermEffMedImplants.v16.i2.30]
65. Schwarz F, Olivier W, Herten M, Sager M, Chaker A, Becker J. (2007) Influence of implant bed preparation using an Er:YAG laser on the osseointegration of titanium implants: A histomorphometrical study in dogs. *J Oral Rehabil.* 34(4):273–81. [doi 10.1111/j.1365-2842.2006.01704.x]

66. Martins GL. (2011) Bone Healing After Bur and Er : YAG Laser Osteotomies. *J Oral Maxillofac Surg.* 69(4):1214–20. [doi 10.1016/j.joms.2010.02.029]
67. Kesler G, Shvero DK, Tov YS, Romanos G. (2011) Platelet Derived Growth Factor Secretion and Bone Healing After Er:YAG Laser Bone Irradiation. *J Oral Implantol [Internet].* 37(sp1):195–204. [doi 10.1563/AAID-JOI-D-09-00120.1]
68. Sotsuka Y, Nishimoto S, Tsumano T, Kawai K, Ishise H, Kakibuchi M, et al. (2014) The dawn of computer-assisted robotic osteotomy with ytterbium-doped fiber laser. *Lasers Med Sci.* 29(3):1125–9. [doi 10.1007/s10103-013-1487-y]
69. Kesler G. (2006) Use of Er : YAG Laser to Improve Osseointegration of Titanium Alloy Implants — A Comparison of Bone Healing. *Int J Oral Maxillofac Implants.* 21(3):375–9.
70. Saulacic N, Bosshardt DD, Jensen SS, Miron RJ, Gruber R, Buser D. (2015) Impact of bone graft harvesting techniques on bone formation and graft resorption: A histomorphometric study in the mandibles of minipigs. *Clin Oral Implants Res.* 26(4):383–91. [doi 10.1111/clr.12357]
71. Reside J, Everett E, Padilla R, Arce R, Miguez P, Brodala N, et al. (2015) In vivo assessment of bone healing following piezotome ultrasonic instrumentation. *Clin Implant Dent Relat Res.* 17(2):384–94. [doi 10.1111/cid.12094]
72. Mouraret S, Houschyar KS, Hunter DJ, Smith AA, Jew OS, Girod S, et al. (2014) Cell viability after osteotomy and bone harvesting: Comparison of piezoelectric surgery and conventional bur. *Int J Oral Maxillofac Surg.* 43(8):966–71. [doi 10.1016/j.ijom.2013.11.018]
73. Preti G, Martinasso G, Peirone B, Navone R, Manzella C, Muzio G, et al. (2007) Cytokines and Growth Factors Involved in the Osseointegration of Oral Titanium Implants Positioned Using Piezoelectric Bone Surgery Versus a Drill Technique: A Pilot Study in Minipigs. *J Periodontol.* 78(4):716–22. [doi 10.1902/jop.2007.060285]
74. Esteves J, Marcantonio Jr E, de Souza Faloni A, Rocha FR, Marcantonio R, Wilk K, et al. (2013) Dynamics of bone healing after osteotomy with piezosurgery or conventional drilling – histomorphometrical, immunohistochemical, and molecular analysis. *J Transl Med.* 11(1):221. [doi 10.1186/1479-5876-11-221]
75. Macedo NL, Monteiro ASF, Sato TP, Macedo LGS. (2015) The effect of piezosurgery with cvd tip in osteotomy in rat parietal bone: histologic and histomorphometric analysis. *Brazilian Dent Sci.* 18(1):81–7.
76. Yang B-E, Girod S. (2014) Efficacy of Bone Healing in Calvarial Defects Using Piezoelectric Surgical Instruments. *J Craniofac Surg.* 25(1):149–53. [doi 10.1097/SCS.0000000000000382]
77. Danjo A, Yamashita Y, Aijima R, Katsuki T, Goto M. (2015) Histological evaluation of the bone healing by osteotomy with ultrasonic osteotomy devices. *Int J Oral Maxillofac Surg.* 44(S1):e51.
78. Trisi P, Carlesi T, Colagiovanni M, Falco A, Bovi M, Perfetti G. (2011) Ultrasonic vs. drill osteotomy. A clinical and histologic study in the sheep mandible. *J Osteol Biomater.* 2(1):21–31.
79. Sirolli M, Mafrá CES, dos Santos RAB, Saraiva L, Holzhausen M, Cesar Neto JB. (2016) Influence of piezosurgery on bone healing around titanium implants: A histological study in rats. *Braz Dent J.* 27(3):278–83. [doi 10.1590/0103-6440201600161]

80. Matsuda H, Furuya Y, Sasaki H, Takanashi T, Morioka T, Miura T, et al. (2015) Comparison of surface morphology and healing in rat calvaria bone defects between ultrasonic surgical method and rotary cutting method. *J Hard Tissue Biol.* 24(3):267–76.
81. Bengazi F, Lang NP, Canciani E, Viganò P, Velez JU, Botticelli D. (2014) Osseointegration of implants with dendrimers surface characteristics installed conventionally or with Piezosurgery®. A comparative study in the dog. *Clin Oral Implants Res.* 25(1):10–5. [doi 10.1111/clr.12082]
82. Vercellotti T, Nevins ML, Kim DM, Nevins M, Wada K, Schenk RK, et al. (2006) Osseous response following resective therapy with piezosurgery. *Int J Periodontics Restorative Dent.* 26(6):543–9.
83. Pavliková G, Foltán R, Burian M, Horká E, Adámek S, Hejcl A, et al. (2011) Piezosurgery prevents brain tissue damage: an experimental study on a new rat model. *Int J Oral Maxillofac Surg.* 40(8):840–4. [doi 10.1016/j.ijom.2011.05.008]
84. Avila Kfoury F, Duailibi MT, Bretos JLG, Carvalho AB, Pallos D, Duailibi SE. (2014) Piezoelectric osteotomy for the placement of titanium implants in rabbits: Histomorphometry study. *Clin Oral Implants Res.* 25(10):1182–8. [doi 10.1111/clr.12229]
85. Ma L, Stübinger S, Liu XL, Schneider UA, Lang NP. (2013) Healing of osteotomy sites applying either piezosurgery or two conventional saw blades: A pilot study in rabbits. *Int Orthop.* 37(8):1597–603. [doi 10.1007/s00264-013-1908-3]
86. Ma L, Mattheos N, Sun Y, Liu XL, Yip Chui Y, Lang NP. (2015) Wound healing of osteotomy defects prepared with piezo or conventional surgical instruments: a pilot study in rabbits. *J Investig Clin Dent.* 6(3):211–20. [doi 10.1111/jicd.12097]
87. Blaskovic M, Gabric D, Coleman NJ, Slipper IJ, Mladenov M, Gjorgjevska E. (2016) Bone healing following different types of osteotomy: Scanning electron microscopy (SEM) and three-dimensional SEM analyses. *Microsc Microanal.* 22(6):1170–8.
88. Stübinger S, Biermeier K, Bächli B, Ferguson SJ, Sader R, von Rechenberg B. (2010) Comparison of Er: YAG laser, piezoelectric, and drill osteotomy for dental implant site preparation: a biomechanical and histological analysis in sheep. *Lasers Surg Med.* 42(7):652–61.
89. Gabrić D, Blašković M, Gjorgijevska E, Mladenov M, Tašič B, Jurič IB, et al. (2016) Evaluation of bone healing after osteotomies prepared with Er:YAG laser in contact and noncontact modes and piezosurgery - An animal study. *J Oral Maxillofac Surg.* 74(1):18–28. [doi 10.1016/j.joms.2015.08.017]
90. Baek KW, Deibel W, Marinov D, Griessen M, Dard M, Bruno A, et al. (2015) A comparative investigation of bone surface after cutting with mechanical tools and Er:YAG laser. *Lasers Surg Med.* 47(5):426–32. [doi 10.1002/lsm.22352]
91. Stübinger S, Nuss K, Pongratz M, Price J, Sader R, Zeilhofer H-F, et al. (2010) Comparison of Er: YAG laser and piezoelectric osteotomy: An animal study in sheep. *Lasers Surg Med.* 42(8):743–751. [doi 10.1002/lsm.20946]
92. Gabric D. (2015) Evaluation of bone healing after osteotomies prepared with Er: YAG laser and piezosurgery using laser profilometry—an animal study. *Clin Oral Implants Res.* 26(S12):9.
93. Passi D, Pal US, Mohammad S, Singh RK, Mehrotra D, Singh G, et al. (2013) Laser vs bur for bone cutting in impacted mandibular third molar surgery: A randomized controlled trial. *J Oral Biol Craniofac Res.* 3(2):57–62. [doi 10.1016/j.jobcr.2013.03.006]

94. Romeo U, Libotte F, Palaia G, Tenore G, Galanakis A, Annibali S. (2015) Is erbium:yttrium-aluminum-garnet laser versus conventional rotary osteotomy better in the postoperative period for lower third molar surgery? Randomized split-mouth clinical study. *J Oral Maxillofac Surg.* 73(2):211–8. [doi 10.1016/j.joms.2014.08.013]
95. Grauvogel J, Scheiwe C, Kaminsky J. (2011) Use of Piezosurgery for internal auditory canal drilling in acoustic neuroma surgery. *Acta Neurochir (Wien).* 153(10):1941–7. [doi 10.1007/s00701-011-1092-4]
96. Di Alberti L, Donnini F, Di Alberti C, Camerino M. (2010) A comparative study of bone densitometry during osseointegration: piezoelectric surgery versus rotary protocols. *Quintessence Int.* 41(8):639–44.
97. Da Silva Neto UT, Joly JC, Gehrke SA. (2014) Clinical analysis of the stability of dental implants after preparation of the site by conventional drilling or piezosurgery. *Br J Oral Maxillofac Surg.* 52(2):149–53. [doi 10.1016/j.bjoms.2013.10.008]
98. Spinelli G, Valente D, Mannelli G, Raffaini M, Arcuri F. (2017) Surgical management of ankyloses of the temporomandibular joint by a piezoelectric device. *J Cranio-Maxillofacial Surg.* 45(4):441–8. [doi 10.1016/j.jcms.2016.12.004]
99. Stacchi C, Vercellotti T, Torelli L, Furlan F, Di Lenarda R. (2013) Changes in implant stability using different site preparation techniques: Twist drills versus piezosurgery. A single-blinded, randomized, controlled clinical trial. *Clin Implant Dent Relat Res.* 15(2):188–97. [doi 10.1111/j.1708-8208.2011.00341.x]
100. Canullo L, Penarrocha D, Penarrocha M, Rocio AG, Penarrocha-Diago M. (2014) Piezoelectric vs. conventional drilling in implant site preparation: Pilot controlled randomized clinical trial with crossover design. *Clin Oral Implants Res.* 25(12):1336–43. [doi 10.1111/clr.12278]
101. Nguyen V, von Krockow N, Weigl P, Depprich R. (2016) Lateral Alveolar Ridge Expansion in the Anterior Maxilla Using Piezoelectric Surgery for Immediate Implant Placement. *Int J Oral Maxillofac Implants.* 31(3):687–99. [doi 10.11607/jomi.4214]
102. Peker Tekdal G, Bostanci N, Belibasakis GN, Gürkan A. (2016) The effect of piezoelectric surgery implant osteotomy on radiological and molecular parameters of peri-implant crestal bone loss: A randomized, controlled, split-mouth trial. *Clin Oral Implants Res.* 27(5):535–44. [doi: 10.1111/clr.12620]
103. Spinato S, Rebaudi A, Bernardello F, Bertoldi C, Zaffe D. (2016) Piezosurgical treatment of crestal bone: Quantitative comparison of post-extractive socket outcomes with those of traditional treatment. *Clin Oral Implants Res.* 27(3):361–6. [doi: 10.1111/clr.12555]
104. Majewski P. Piezoelectric Surgery in Autogenous Bone Block Grafts. (2014) *Int J Periodontics Restorative Dent [Internet].* 34(3):355–63. [doi: 10.11607/prd.1279]
105. Tsai SJ, Chen YL, Chang HH, Shyu YC, Lin CP. (2012) Effect of piezoelectric instruments on healing propensity of alveolar sockets following mandibular third molar extraction. *J Dent Sci.* 7(3):296–300. [doi: 10.1016/j.jds.2012.07.001]
106. Tete S, Vinci R, Zizzari V, Cingano L, Bollero R, D’Apolito G, et al. (2009) Evaluation of effects on bone tissue of different osteotomy techniques. *J Craniofac Surg.* 20(5):1424–9. [doi: 10.1097/SCS.0b013e3181aee3d3]

107. Gülnahar Y, Hüseyin Köşger H, Tutar Y. (2013) A comparison of piezosurgery and conventional surgery by heat shock protein 70 expression. *Int J Oral Maxillofac Surg.* 42(4):508–10. [doi: 10.1016/j.ijom.2012.10.027]
108. Rullo R, Addabbo F, Papaccio G, D'Aquino R, Festa VM. (2013) Piezoelectric device vs. conventional rotative instruments in impacted third molar surgery: Relationships between surgical difficulty and postoperative pain with histological evaluations. *J Cranio-Maxillofacial Surg.* 41(2):e33–8. [doi: 10.1016/j.jcms.2012.07.007]
109. Mantovani E, Arduino PG, Schierano G, Ferrero L, Gallesio G, Mozzati M, et al. (2014) A split-mouth randomized clinical trial to evaluate the performance of Piezosurgery compared with traditional technique in lower wisdom tooth removal. *J Oral Maxillofac Surg.* 72(10):1890–7. [doi: 10.1016/j.joms.2014.05.002]
110. Altıparmak N, Soydan SS, Uckan S. (2015) The effect of conventional surgery and piezoelectric surgery bone harvesting techniques on the donor site morbidity of the mandibular ramus and symphysis. *Int J Oral Maxillofac Surg.* 44(9):1131–7. [doi: 10.1016/j.ijom.2015.04.009]
111. Wei LIU. (2013) Clinical value of ultrasonic osteotomy in pulling out impacted wisdom tooth in the lower mandible. *Pract J Clin Med.* 3:37.
112. Goyal M, Marya K, Jhamb A, Chawla S, Sonoo PR, Singh V, et al. (2012) Comparative evaluation of surgical outcome after removal of impacted mandibular third molars using a Piezotome or a conventional handpiece: A prospective study. *Br J Oral Maxillofac Surg.* 50(6):556–61. [doi: 10.1016/j.bjoms.2011.10.010]
113. Spinelli G, Lazzeri D, Conti M, Agostini T, Mannelli G. (2014) Comparison of piezosurgery and traditional saw in bimaxillary orthognathic surgery. *J Cranio-Maxillofacial Surg.* 42(7):1211–20. [doi: 10.1016/j.jcms.2014.02.011]
114. Chang HH, Lee MS, Hsu YC, Tsai SJ, Lin CP. (2015) Comparison of clinical parameters and environmental noise levels between regular surgery and piezosurgery for extraction of impacted third molars. *J Formos Med Assoc.* 114(10):929–35. [doi: 10.1016/j.jfma.2014.02.003]
115. Crippa B, Salzano FA, Mora R, Dellepiane M, Salami A, Guastini L. (2011) Comparison of postoperative pain: Piezoelectric device versus microdrill. *Eur Arch Oto-Rhino-Laryngology.* 268(9):1279–82. [doi: 10.1007/s00405-011-1520-3]
116. Shirota T, Kamatani T, Yamaguchi T, Ogura H, Maki K, Shintani S. (2014) Effectiveness of piezoelectric surgery in reducing surgical complications after bilateral sagittal split osteotomy. *Br J Oral Maxillofac Surg.* 52(3):219–22. [doi: 10.1016/j.bjoms.2013.11.015]
117. Landes CA, Stübinger S, Ballon A, Sader R. (2008) Piezoosteotomy in orthognathic surgery versus conventional saw and chisel osteotomy. *Oral Maxillofac Surg.* 12(3):139–47. [doi: 10.1007/s10006-008-0123-7]
118. Li X, Yan-Fang D, Pei-Zhen H. (2013) Application of piezosurgery in the extraction of mandibular impacted wisdom tooth close to neural tube and nursing care. *J Qilu Nurs.* 12:15.
119. Gao Y, Lin Z, Rodella LF, Buffoli B, Wu X, Zhou Y. (2014) Piezoelectric ultrasonic bone surgery system in the extraction surgery of supernumerary teeth. *J Cranio-Maxillofacial Surg.* 42(8):1577–82. [doi: 10.1016/j.jcms.2014.04.007]

120. Troedhan A, Kurrek A, Wainwright M. (2011) Ultrasonic piezotome surgery: is it a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rd molars. *Open J Stomatol.* 1(4):179–84. [doi: 10.4236/ojst.2011.14027]
121. Landes CA, Stübinger S, Ballon A, Sader R. (2008) Piezoosteotomy in orthognathic surgery versus conventional saw and chisel osteotomy. *Oral Maxillofac Surg.* 12(3):139–47. [doi: 10.1007/s10006-008-0123-7]
122. Monnazzi MS, Real Gabrielli MF, Passeri LA, Cabrini Gabrielli MA, Spin-Neto R, Pereira-Filho VA. (2014) Inferior alveolar nerve function after sagittal split osteotomy by reciprocating saw or piezosurgery instrument: Prospective double-blinded study. *J Oral Maxillofac Surg.* 72(6):1168–72. [doi: 10.1016/j.joms.2013.11.007]
123. Piersanti L, Dilorenzo M, Monaco G, Marchetti C. (2014) Piezosurgery or conventional rotatory instruments for inferior third molar extractions? *J Oral Maxillofac Surg.* 72(9):1647–52. [doi: 10.1016/j.joms.2014.04.032]
124. Guo Z, Zhang H, Li Y, Li X, Liu Y, Wang Y, et al. (2012) Comparative study of complications among routine method, high speed turbine handpiece and piezosurgery device after extraction of impacted wisdom teeth. *Shanghai Kou Qiang Yi Xue.* 21(2):208–10.
125. Rana M, Gellrich N, Rana M, Piffkó J. (2013) Evaluation of surgically assisted rapid maxillary expansion with piezosurgery versus oscillating saw and chisel osteotomy—a randomized prospective trial. *Trials.* 14(1):49. [doi: 10.1186/1745-6215-14-49]
126. Bertossi D, Lucchese A, Alabanese M, Turra M, Faccioni F, Nocini P. (2013) Piezosurgery versus conventional osteotomy in orthognathic surgery: a paradigm shift in treatment. *J Craniofac Surg.* 24(5):1763–6.
127. Troedhan A. (2016) Piezotome Rhinoplasty Reduces Postsurgical Morbidity and Enhances Patient Satisfaction: A Multidisciplinary Clinical Study. *J Oral Maxillofac Surg.* 74(8):1659.e1-1659.e11. [doi: 10.1016/j.joms.2016.04.013]
128. Mistry FK, Hegde ND, Hegde MN. (2016) Postsurgical consequences in lower third molar surgical extraction using micromotor and piezosurgery. *Ann Maxillofac Surg.* 6(2):251–9. [doi: 10.4103/2231-0746.200334]
129. Sivoletta S, Berengo M, Bressan E, Di Fiore A, Stellini E. (2011) Osteotomy for lower third molar germectomy: Randomized prospective crossover clinical study comparing piezosurgery and conventional rotatory osteotomy. *J Oral Maxillofac Surg.* 69(6):e15–23. [doi: 10.1016/j.joms.2010.12.036]
130. Felice P, Balercia A, Pistilli R, Tuci L, Barausse C, Esposito M. (2016) Conventional drills versus ultrasonic preparation for placement of zygomatic implants: a 4-month post-loading split-mouth randomised controlled trial. *Clin Oral Implants Res.* 27(S13):273.
131. Pappalardo S, Guarnieri R. (2014) Randomized clinical study comparing piezosurgery and conventional rotatory surgery in mandibular cyst enucleation. *J Cranio-Maxillofacial Surg.* 42(5):e80–5. [doi: 10.1016/j.jcms.2013.06.013]
132. Arakji H, Shokry M, Aboelsaad N. (2016) Comparison of Piezosurgery and Conventional Rotary Instruments for Removal of Impacted Mandibular Third Molars: A Randomized Controlled Clinical and Radiographic Trial. *Int J Dent.* 2016(ID 8169356):7p. [doi: 10.1155/2016/8169356]

133. Tirelli G, Tofanelli M, Bullo F, Bianchi M, Robiony M. (2015) External osteotomy in rhinoplasty: Piezosurgery vs osteotome. *Am J Otolaryngol - Head Neck Med Surg.* 36(5):666–71. [doi: 10.1016/j.amjoto.2015.05.006]
134. Delilbasi C, Gurler G. (2013) Comparison of Piezosurgery and Conventional Rotative Instruments in Direct Sinus Lifting. *Implant Dent.* 22(6):662–5. [doi: 10.1097/ID.0000000000000001]
135. Spinelli G, Mannelli G, Zhang YX, Lazzeri D, Spacca B, Genitori L, et al. (2015) Complex craniofacial advancement in paediatric patients: Piezoelectric and traditional technique evaluation. *J Cranio-Maxillofacial Surg.* 43(8):1422–7. [doi: 10.1016/j.jcms.2015.07.012]
136. Mozzati M, Gallesio G, Russo A, Staiti G, Mortellaro C. (2014) Third-Molar Extraction With Ultrasound Bone Surgery. *J Craniofac Surg.* 25(3):856–9. [doi: 10.1097/SCS.0000000000000825]
137. Gilles R, Couvreur T, Dammous S. (2013) Ultrasonic orthognathic surgery: Enhancements to established osteotomies. *Int J Oral Maxillofac Surg.* 42(8):981–7. [doi: 10.1016/j.ijom.2012.12.004]
138. Cassetta M, Di Carlo S, Giansanti M, Pompa V, Pompa G, Barbato E. (2012) The impact of osteotomy technique for corticotomy-assisted orthodontic treatment (CAOT) on oral health-related quality of life. *Eur Rev Med Pharmacol Sci.* 16(12):1735–40.
139. Toscano NJ, Holtzclaw D, Rosen PS. (2010) The Effect of Piezoelectric Use on Open Sinus Lift Perforation: A Retrospective Evaluation of 56 Consecutively Treated Cases From Private Practices. *J Periodontol.* 81(1):167–71. [doi: 10.1902/jop.2009.090190]
140. Peñarrocha-Diago M, Peñarrocha-Diago M, Sanchez-Recio C, Peñarrocha-Oltra D, Romero-Millán J. (2012) Osteotomy in direct sinus lift. A comparative study of the rotary technique and ultrasound. *Med Oral Patol Oral Cir Bucal.* 17(3):e457. [doi: 10.4317/medoral.17599]
141. Barone A, Santini S, Marconcini S, Giacomelli L, Gherlone E, Covani U. (2008) Osteotomy and membrane elevation during the maxillary sinus augmentation procedure. *Clin Oral Implants Res.* 19(5):511–5. [doi 10.1111/j.1600-0501.2007.01498.x]
142. Atari M, Chatakun P, Ortiz O, Mañes A, Gil-Recio C, Fabregat Navarro M, et al. (2011) Viability of maxillary bone harvesting by using different osteotomy techniques. a pilot study. *Histol Histopathol.* 26(12):1575–83. [doi: 10.14670/HH-26.1575]
143. Smeets R, Henningsen A, Jung O, Heiland M, Hammächer C, Stein JM. (2014) Definition, etiology, prevention and treatment of peri-implantitis--a review. *Head Face Med.* 10(1):34. [doi: 10.1186/1746-160X-10-34]