

Literatur

DENT IMPLANTOL (19)7 2015, S. 501–507

Dr. med. dent. Kay Vietor / ZTM Frederyk Schikora

Abutment und Krone in einem Stück – so geht's

- [1] Gigandet M, Bigolin G, Faoro F, Burgin W, Bragger U. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16:303-311.
- [2] Lops D, Bressan E, Parpaiola A, Sbricoli L, Cecchinato D, Romeo E. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. *Clin Oral Implants Res* 2014 (online early).
- [3] Kapos T, Evans C. CAD/CAM technology for implant abutments, crowns, and superstructures. *The International journal of oral & maxillofacial implants* 2014;29 Suppl:117-136.
- [4] Vietor K, Schikora F. Durchtrittsprofil online ordern. CAD/CAM-AButment und Krone in einem Schritt. *Dental labor* 2014;62:78-85.
- [5] Joda T, Bragger U. Complete digital workflow for the production of implant-supported single-unit monolithic crowns. *Clinical oral implants research* 2014;25:1304-1306.
- [6] Linkevicius T, Vindasiute E, Puisys A, Linkeviciene L, Maslova N, Puriene A. The influence of the cementation margin position on the amount of undetected cement. A prospective clinical study. *Clinical oral implants research* 2013;24:71-76.
- [7] Cosgarea R, Gasparik C, Ducea D, Culic B, Dannewitz B, Sculean A. Peri-implant soft tissue colour around titanium and zirconia abutments: a prospective randomized controlled clinical study. *Clin Oral Implants Res* 2014 (online early).
- [8] Carrillo de Albornoz A, Vignoletti F, Ferrantino L, Cardenas E, De Sanctis M, Sanz M. A randomized trial on the aesthetic outcomes of implant-supported restorations with zirconia or titanium abutments. *J Clin Periodontol* 2014;41:1161-1169.
- [9] Zembic A, Philipp AO, Hammerle CH, Wohlwend A, Sailer I. Eleven-Year Follow-Up of a Prospective Study of Zirconia Implant Abutments Supporting Single All-Ceramic Crowns in Anterior and Premolar Regions. *Clin Implant Dent Relat Res* 2014 (online early).
- [10] Vietor K, Schikora F. Abutments im Profil. *dental labor* 2013;61:58-67.
- [11] Ivoclar Vivadent. IPS e.max CAD Abutment Solutions. Eingliederung und Nachsorge. Information zur Sterilisation.