

Kavitätenbildende Osteonekrosen des Kieferknochens – Mythos oder Realität?

Prof. Dr. Marcel Wainwright, Dr. Dr. Angelo Trödhhan
DENTALE IMPLANTOLOGIE | Jg. 23 | Ausgabe 04 | Juni 2019 | 240-244

- [1] Neuralgia-inducing cavitational osteonecrosis (NICO). Osteomyelitis in 224 jawbone samples from patients with facial neuralgia. Bouquot JE, Roberts AM, Person P, Christian J (March 1992). Oral Surg. Oral Med. Oral Pathol. 73 (3): 307–19, discussion 319–20.
- [2] Jawbone cavities and trigeminal and atypical facial neuralgias.
Ratner EJ, Person P, Kleinman DJ, Shklar G, Socransky SS. Oral Surg Oral Med Oral Pathol. 1979 Jul;48(1):3-20.
- [3] Challenging the neuralgia-inducing cavitational osteonecrosis concept. Zuniga J. J Oral Maxillofac Surg. Sep 2000;58:1021-1028
- [4] Kavitätenbildende Osteolysen des Kieferknochens. Lechner J. 1. Aufl. April 2011. MDV Maristen Druck & Verlag Fürth.
- [5] Pathogenesis of medication-related osteonecrosis of the jaw: a comparative study of in vivo and in vitro trials. Holtmann H, Lommen J, Kübler NR, Sproll C, Rana M, Karschuck P, Depprich R. J Int Med Res. 2018 Oct;46(10):4277-4296.
- [6] Aseptic-avascular osteonecrosis: local "silent inflammation" in the jawbone and RANTES/CCL5 overexpression. Lechner J, Schuett S, von Baehr V. Clin Cosmet Investig Dent. 2017 Nov 9;9:99-109.
- [7] Grafting and Dental Implantation in Patients With Jawbone Cavitation: Case Series and 3-Year Follow-Up. Chen YW, Simancas-Pallares M, Marincola M, Chuang SK. Implant Dent. 2017 Feb;26(1):158-164.
- [8] A Strategy against the Osteonecrosis of the Jaw Associated with Nitrogen-Containing Bisphosphonates (N-BPs): Attempts to Replace N-BPs with the Non-N-BP Etidronate. Oizumi T, Yamaguchi K, Sato K, Takahashi M, Yoshimura G, Otsuru H, Tsuchiya M, Hagiwara Y, Itoi E, Sugawara S, Takahashi T, Endo Y. Biol Pharm Bull. 2016;39(9):1549-54.
- [9] Analysis of reasons for osteonecrosis of the jaws. Walter C, Sagheb K, Bitzer J, Rahimi-Nedjat R, Taylor KJ. Clin Oral Investig. 2014 Dec;18(9):2221-6. doi: 10.1007/s00784-014-1205-6.
- [10] Resolution of cavitational osteonecrosis through Neuro Modulation Technique, a novel form of intention-based therapy: a clinical case study. Feinberg LS,

- Stephan RB, Fogarty KP, Voortman L, Tiller WA, Cassiani-Ingoni R. *J Altern Complement Med.* 2009 Jan;15(1):25-33.
- [11] Long-term effects of jawbone curettage on the pain of facial neuralgia. Bouquot JE, Christian J. *J Oral Maxillofac Surg.* 1995 Apr;53(4):387-97; discussion 397-9. Bouquot JE, Roberts AM, Person P, Christian J. *Oral Surg Oral Med Oral Pathol.* 1992 Mar;73(3):307-19; discussion 319-20.
- [12] Osteoimmunology of tumor necrosis factor-alpha, IL-6, and RANTES/CCL5: a review of known and poorly understood inflammatory patterns in osteonecrosis. Lechner J, Rudi T, von Baehr V. *Clin Cosmet Investig Dent.* 2018 Nov 9;10:251-262.
- [13] Avascular Necrosis of Femoral Head: A Metabolic, Biophysical, Electron Microscopic and Histopathological Characterization. Narayanan A et al. *Sci Rep.* 2017 Sep 6;7(1):10721.
- [14] The vitamin D receptor and the etiology of RANTES/CCL-expressive fatty degenerative osteolysis of the jawbone: an interface between osteoimmunology and bone metabolism. Lechner J, Aschoff J, Rudi T. *Int J Gen Med.* 2018 Apr 27;11:155-166.
- [15] RANTES and fibroblast growth factor 2 in jawbone cavitations: triggers for systemic disease? Lechner J, von Baehr V. *Int J Gen Med.* 2013 Apr 22;6:277-90. doi:
- [16] Peripheral Neuropathic Facial/Trigeminal Pain and RANTES/CCL5 in Jawbone Cavitation. Lechner J, von Baehr V. *Evid Based Complement Alternat Med.* 2015;2015:582520.
- [17] L-prf Characterization of the Leukocyte- and Platelet-Rich Fibrin Block: Release of Growth Factors, Cellular Content, and Structure. Castro AB, Cortellini S, Temmerman A, Li X, Pinto N, Teughels W, Quirynen M. *Int J Oral Maxillofac Implants.* 2019 Feb 11. doi: 10.11607/jomi.7275.
- [18] Role of stem cell mobilization in the treatment of ischemic diseases. Kwon SG, Park I, Kwon YW, Lee TW, Park GT, Kim JH. *Arch Pharm Res.* 2019 Jan 24. doi: 10.1007/s12272-019-01123-2.
- [19] Healing Potential of Platelet Rich Fibrin in Impacted Mandibular Third Molar Extraction Sockets. Dar MM, Shah AA, Najjar AL, Younis M, Kapoor M, Dar JI. *Ann Maxillofac Surg.* 2018 Jul-Dec;8(2):206-213.

- [20] The effect of leukocyte-platelet-rich fibrin on bone morphogenetic protein-2 and insulin-like growth factor-1 levels in patients with chronic periodontitis: a randomized split mouth clinical trial. Kizildağ A, Çiçek Y, Arabaci T, Köse O. *Growth Factors*. 2019 Jan 9:1-7. doi: 10.1080/08977194.2018.1551217.
- [21] Autologous Platelet Concentrates to improve post extraction outcomes. Shah N, Cairns M. *Evid Based Dent*. 2018 Dec;19(4):118-119.
- [22] Comparison of the Clinical Outcomes of Buccal Advancement Flap Versus Platelet-Rich Fibrin Application for the Immediate Closure of Acute Oroantral Communications. Bilginaylar K. *J Craniofac Surg*. 2019 Jan;30(1):e45-e49.
- [23] Root coverage by modified coronally advanced flap with and without platelet-rich fibrin: A clinical study. Dixit N, Lamba AK, Faraz F, Tandon S, Aggarwal K, Ahad A. *Indian J Dent Res*. 2018 Sep-Oct;29(5):600-604.
- [24] Sinus floor elevation with platelet-rich fibrin alone: A Clinical retrospective study of 1-7 years. Aoki N, Maeda M, Kurata M, Hirose M, Ojima Y, Wada K, Shibuya Y. *J Clin Exp Dent*. 2018 Oct 1;10(10):e984-e991.
- [25] Optimized Platelet-Rich Fibrin With the Low-Speed Concept: Growth Factor Release, Biocompatibility, and Cellular Response. Fujioka-Kobayashi M, Miron RJ, Hernandez M, Kandalam U, Zhang Y, Choukroun J. *J Periodontol*. 2017 Jan;88(1):112-121. Epub 2016 Sep 2.
- [26] Role of plasma-rich fibrin in oral surgery. Kumar KR, Genmorgan K, Abdul Rahman SM, Rajan MA, Kumar TA, Prasad VS. *J Pharm Bioallied Sci*. 2016 Oct;8(Suppl 1):S36-S38.
- [27] Trödhan A, Ziad T, Wainwright M, Khamis M: Troedhan, A., Mahmoud, Z. T., Wainwright, M., & Khamis, M. M. Cutting bone with drills, burs, lasers and piezotomes: A comprehensive systematic review and recommendations for the clinician. *Int J Oral Craniofac Sci*, 3(2), 020-033 2017.
- [28] Wainwright M. Expertentipp: Orale Ultraschallchirurgie. *Oralchirurgie Journal* (2016), 2:44-45.
- [29] Trödhan A, Schlichting I, Wainwright M, Kurrek A. Piezosurgery: Der neue Platin Standard in der Oralchirurgie und Implantologie? *Dent Impl und Parodontologie* (2013), 6:434-445
- [30] Effects of Piezosurgery in accelerating the movement of orthodontic alveolar

bone tooth of rats and the expression mechanism of BMP-2. Han J, He H. Exp Ther Med. 2016 Nov;12(5):3009-3013. Epub 2016 Sep 14.

[31] Piezosurgery in implant dentistry. Stübinger S, Stricker A, Berg BI. Clin Cosmet Investig Dent. 2015 Nov 11;7:115-24.

[32] Effects of platelet-rich fibrin and piezosurgery on impacted mandibular third molar surgery outcomes. Uyanik LO, Bilginaylar K, Etikan I. Head Face Med. 2015 Jul 26;11:25.

[33] Patienten mit chronischen Schmerzen – Waisenkinder der (Zahn-)Medizin? Türp JC. Dtsch Zahnärztl Z 2000;55-797-804.