

Literatur

Emdogain „flapless“ im Fokus von Parodontologen und Implantologen

Dr. Aneta Pecanov-Schröder

DENTALE IMPLANTOLOGIE & PARODONTOLOGIE, September 2019

1. Aimetti M, Ferrarotti F, Mariani GM, Romano F. A novel flapless approach versus minimally invasive surgery in periodontal regeneration with enamel matrix derivative proteins: a 24-month randomized controlled clinical trial. *Clin Oral Investig*. 2017 Jan;21(1):327-337.
2. Almqvist S, Kleinman HK, Werthén M, Thomsen P, Agren MS. J Wound Care. Effects of amelogenins on angiogenesis-associated processes of endothelial cells. 2011 Feb;20(2):68, 70-5.
3. Bröseler F, Tietmann C: Regenerative Parodontalchirurgie – Integration in die Praxis. *Parodontologie* 2009;20(1):31-36.
4. Bröseler, F, Tietmann, C, Hinz, AK, Jepsen, S: [Regenerative therapy using bovine bone mineral shows stable long-term results. A retrospective clinical cohort study.](#) *Int Poster J Dent Oral Med 2013;15(Osteology)*, Poster 661.
5. Bröseler F, Tietmann C, Hinz A-K, Jepsen S. Long-term results of periodontal regenerative therapy: A retrospective practice-based cohort study. *Journal of clinical periodontology*. 2017;44(May):520-9.
6. [Buti J, Baccini M, Nieri M, La Marca M, Pini-Prato GP.](#) Bayesian network meta-analysis of root coverage procedures: ranking efficacy and identification of best treatment. *J Clin Periodontol*. 2013 Apr;40(4):372-86. doi: 10.1111/jcpe.12028. Epub 2013 Jan 24.
7. [Cochran DL, King GN, Schoolfield J, Velasquez-Plata D, Mellonig JT, Jones A.](#): The effect of enamel matrix proteins on periodontal regeneration as determined by histological analyses. *J Periodontol*. 2003 Jul;74(7):1043-55.
8. [Cortellini P, Tonetti MS.](#): Clinical and radiographic outcomes of the modified minimally invasive surgical technique with and without regenerative materials: a randomized-controlled trial in intra-bony defects. *J Clin Periodontol*. 2011 Apr;38(4):365-73. doi: 10.1111/j.1600-051X.2011.01705.x. Epub 2011 Feb 8.
9. Cortellini P, Tonetti MS.: [Improved wound stability with a modified minimally invasive surgical technique in the regenerative treatment of isolated interdental intrabony defects.](#) *J Clin Periodontol*. 2009 Feb;36(2):157-63. doi: 10.1111/j.1600-051X.2008.01352.x.
10. Cortellini P, Tonetti MS.: [A minimally invasive surgical technique with an enamel matrix derivative in the regenerative treatment of intra-bony defects: a](#)

[novel approach to limit morbidity](#). J Clin Periodontol. 2007 Jan;34(1):87-93.]

11. Gennai S, Petrini M, Tonelli M, Marianelli A, Nisi M, Graziani F. Acute phase response following non-surgical periodontal therapy with enamel matrix derivative. A randomized clinical trial. Poster presented at Europerio 9 in June 2018 (PD065).
12. [Graziani F](#), [Gennai S](#), [Petrini M](#), [Bettini L](#), [Tonetti M](#): Enamel matrix derivative stabilizes blood clot and improves clinical healing in deep pockets after flapless periodontal therapy: A Randomized Clinical Trial. [J Clin Periodontol](#). 2019 Feb;46(2):231-240. doi: 10.1111/jcpe.13074.
13. [Hammarström L](#). Enamel matrix, cementum development and regeneration. [J Clin Periodontol](#). 1997 Sep;24(9 Pt 2):658-68.
14. [Hammarström L](#), [Heijl L](#), [Gestrelus S](#).: Periodontal regeneration in a buccal dehiscence model in monkeys after application of enamel matrix proteins. [J Clin Periodontol](#). 1997 Sep;24(9 Pt 2):669-77.]
15. [Hammarström L](#).: The role of enamel matrix proteins in the development of cementum and periodontal tissues. [Ciba Found Symp](#). 1997;205:246-55; discussion 255-60.
16. Heijl L. Periodontal regeneration with enamel matrix derivative in one human experimental defect. A case report. J Clin Periodontol. 1997 Sep;24(9 Pt 2):693-6.
17. [Hoffmann T](#), [Richter S](#), [Meyle J](#), [Gonzales JR](#), [Heinz B](#), [Arjomand M](#), [Sculean A](#), [Reich E](#), [Jepsen K](#), [Jepsen S](#), [Boedeker RH](#).: A randomized clinical multicentre trial comparing enamel matrix derivative and membrane treatment of buccal class II furcation involvement in mandibular molars. Part III: patient factors and treatment outcome. [J Clin Periodontol](#). 2006 Aug;33(8):575-83.
18. Jentsch H.F.R., Rocuzzo M., Marini L, Kasaj A, Fimmers R, Jepsen S. Flapless application of enamel matrix derivative (EMD) as an adjunct to scaling and root planing – a multicenter RCT. [Journal of Clinical Periodontology](#) 2018; 45 (19): 26-27
https://onlinelibrary.wiley.com/doi/epdf/10.1111/jcpe.58_12913
19. [Jepsen S](#), [Topoll H](#), [Rengers H](#), [Heinz B](#), [Teich M](#), [Hoffmann T](#), [Al-Machot E](#), [Meyle J](#), [Jervøe-Storm PM](#). Clinical outcomes after treatment of intra-bony defects with an EMD/synthetic bone graft or EMD alone: a multicentre randomized-controlled clinical trial. [J Clin Periodontol](#). 2008 May;35(5):420-8. doi: 10.1111/j.1600-051X.2008.01217.x. Epub 2008 Mar 12.
20. [Jepsen S](#), [Heinz B](#), [Jepsen K](#), [Arjomand M](#), [Hoffmann T](#), [Richter S](#), [Reich E](#), [Sculean A](#), [Gonzales JR](#), [Bödeker RH](#), [Meyle J](#). A randomized clinical trial comparing enamel matrix derivative and membrane treatment of buccal Class

II furcation involvement in mandibular molars. Part I: Study design and results for primary outcomes. [J Periodontol.](#) 2004 Aug;75(8):1150-60.

21. Jepsen S, Heinz B, Wachtel H: Gemeinsame Stellungnahme der DGP/DGZMK Regenerative Therapie mit einem Schmelzmatrixprotein (Emdogain). Stand 01/2002. DZZ 49 (94).
22. Kasaj A, Meister J, Lehmann K, Stratul SI, Schlee M, Stein JM, Willershausen B, Schmidt M. [The influence of enamel matrix derivative on the angiogenic activity of primary endothelial cells.](#) [J Periodontol Res.](#) 2012 Aug;47(4):479-87. doi: 10.1111/j.1600-0765.2011.01456.x. Epub 2011 Dec 29.
23. Kauvar [AS](#), [Thoma DS](#), [Carnes DL](#), [Cochran DL](#).: In vivo angiogenic activity of enamel matrix derivative. [J Periodontol.](#) 2010 Aug;81(8):1196-201.
24. McGuire MK, Scheyer ET, Nunn M. Evaluation of human recession defects treated with coronally advanced flaps and either enamel matrix derivative or connective tissue: comparison of clinical parameters at 10 years. [J Periodontol.](#) 2012 Nov;83(11):1353-62. doi: 10.1902/jop.2012.110373
25. [Meyle J](#), [Hoffmann T](#), [Topoll H](#), [Heinz B](#), [Al-Machot E](#), [Jervøe-Storm PM](#), [Meiss C](#), [Eickholz P](#), [Jepsen S](#).: A multi-centre randomized controlled clinical trial on the treatment of intra-bony defects with enamel matrix derivatives/synthetic bone graft or enamel matrix derivatives alone: results after 12 months. [J Clin Periodontol.](#) 2011 Jul;38(7):652-60.
26. [Meyle J](#), [Gonzales JR](#), [Bödeker RH](#), [Hoffmann T](#), [Richter S](#), [Heinz B](#), [Arjomand M](#), [Reich E](#), [Sculean A](#), [Jepsen K](#), [Jepsen S](#). A randomized clinical trial comparing enamel matrix derivative and membrane treatment of buccal class II furcation involvement in mandibular molars. Part II: secondary outcomes. [J Periodontol.](#) 2004 Sep;75(9):1188-95.
27. Miron RJ, Sculean A, Cochran DL, Froum S, Zucchelli G, Nemcovsky C, Donos N, Lyngstadaas SP, Deschner J, Dard M, Stavropoulos A, Zhang Y, Trombelli L, Kasaj A, Shirakata Y, Cortellini P, Tonetti M, Rasperini G, Jepsen S, Bosshardt DD. [Twenty years of enamel matrix derivative: the past, the present and the future.](#) [J Clin Periodontol.](#) 2016 Aug;43(8):668-83. doi: 10.1111/jcpe.12546. Epub 2016 May 28. Review.
28. Pecanov-Schröder A.: Die Anwendung von Emdogain in Praxis und Forschung. [Dent Implantol.](#) 2013 Aug; 17(8):606-11.
29. Pecanov-Schröder A: „Schmelzmatrixproteine brachten den Durchbruch für die regenerative Parodontaltherapie“. [DZW](#) 2015;19:10-11.
30. [Sanz M](#), [Tonetti MS](#), [Zabalegui I](#), [Sicilia A](#), [Blanco J](#), [Rebelo H](#), [Rasperini G](#), [Merli M](#), [Cortellini P](#), [Suvan JE](#).: Treatment of intrabony defects with enamel matrix proteins or barrier membranes: results from a multicenter practice-based clinical trial. [J Periodontol.](#) 2004 May;75(5):726-33.

31. [Sculean A](#), [Chiantella GC](#), [Windisch P](#), [Donos N](#).:Clinical and histologic evaluation of human intrabony defects treated with an enamel matrix protein derivative (Emdogain). [Int J Periodontics Restorative Dent](#). 2000 Aug;20(4):374-81.
32. Sculean A.: In Kombination von Emdogain und Gewebersatzmaterial (EMD und BioOss und GTR).[Int J Periodontics Restorative Dent](#). 2004 Aug;24(4):326-33.
33. [Sculean A](#), [Windisch P](#), [Szendrői-Kiss D](#), [Horváth A](#), [Rosta P](#), [Becker J](#), [Gera I](#), [Schwarz F](#).: Clinical and histologic evaluation of an enamel matrix derivative combined with a biphasic calcium phosphate for the treatment of human intrabony periodontal defects. [J Periodontol](#). 2008 Oct;79(10):1991-9.
34. [Sculean A](#), [Donos N](#), [Schwarz F](#), [Becker J](#), [Brecx M](#), [Arweiler NB](#).:Five-year results following treatment of intrabony defects with enamel matrix proteins and guided tissue regeneration. [J Clin Periodontol](#). 2004 Jul;31(7):545-9.
35. Sculean A, Kiss A, Miliauskaitė A, Schwarz F, Arweiler NB, Hannig M. Ten-year results following treatment of intra-bony defects with enamel matrix proteins and guided tissue regeneration. [J Clin Periodontol](#). 2008 Sep;35(9):817-24. doi: 10.1111/j.1600-051X.2008.01295.x.
36. Straumann: Von Straumann gesponserte Studie (Daten im Archiv, Veröffentlichung in Vorbereitung).
37. Tunkel J: Emdogain für die erfolgreiche Regeneration. [DENT IMPLANTOL](#) 2015;19 (6): 430-435.
38. [Wada Y](#), [Mizuno M](#), [Nodasaka Y](#), [Tamura M](#).The effect of enamel matrix derivative on spreading, proliferation, and differentiation of osteoblasts cultured on zirconia. [Int J Oral Maxillofac Implants](#). 2012 Jul-Aug;27(4):849-58.
39. Wennstrom JL, Lindhe J. Some effects of enamel matrix proteins on wound healing in the dento-gingival region. [J Clin Periodontol](#). 2002 Jan;29(1):9-14.
40. Zeldich E, Koren R, Nemcovsky C, Weinreb M. Enamel matrix derivative stimulates human gingival fibroblast proliferation via ERK. [J Dent Res](#). 2007 Jan;86(1):41-6. 5 In vitro wound healing responses to enamel matrix derivative. Hoang AM, Oates TW, Cochran DL. [J Periodontol](#). 2000 Aug;71(8):1270-7.