

Dr. Matthias Geib, Dr. Christoph Jäger, Dr. Jan Foitzik, Dr. Dr. Dr. Christian Foitzik
Reduktion postoperativer Beschwerden in der Oralchirurgie durch die Anwendung
von leukozyten- und plättchenreichem Fibrin

- [1] Bennett NT, Schultz GS: Growth factors and wound healing: biochemical properties of growth factors and their receptors. *Am J Surg* 1993;165:728-737.
- [2] Bennett NT, Schultz GS: Growth factors and wound healing: Part II. Role in normal and chronic wound healing. *Am J Surg* 1993;166:74-81.
- [3] Berine OR: Corticosteroids decrease pain, swelling and trismus. *Evid Based Dent* 2013;14:111.
- [4] Gabka J, Matsumura T: Messtechnische und klinische Prüfung eines Antiphlogistikums (Tantum). *Münch Med Wochenschr* 1971;113:198-203.
- [5] Kim K, Brar P, Jakubowski J et al.: The use of corticosteroids and nonsteroidal antiinflammatory medication for the management of pain and inflammation after third molar surgery: a review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107:630-640.
- [6] Madurantakam P, Yoganarasimha S, Hasan FK: Characterization of leukocyte-platelet rich fibrin, a novel biomaterial. *J Vis Exp* 2015;(103). doi: 10.3791/53221.
- [7] Ordulu M, Aktas I, Yalcin S et al.: Comparative study of the effect of tube drainage versus methylprednisolone after third molar surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006;101:e96-e100.
- [8] Saluja H, Dehane V, Mahindra U: Platelet-rich fibrin: A second generation platelet concentrate and a new friend of oral and maxillofacial surgeons. *Ann Maxillofac Surg* 2011;1:53-57.
- [9] Simonpieri A, Del Corso M, Sammartino G, Dohan Ehrenfest DM: The relevance of Choukroun's platelet-rich fibrin and metronidazole during complex maxillary rehabilitations using bone allograft. Part I: a new grafting protocol. *Implant Dent* 2009;18:102-111.
- [10] Simonpieri A, Del Corso M, Sammartino G, Dohan Ehrengfest DM: Simultaneous sinus-lift and implantation using micro threaded implants and leukocyte- and platelet-rich fibrin as sole grafting material: a six-year experience. *Implant Dent* 2011;20:2-12.
- [11] Soffer E, Ouhayoun, JP, Anagnostou F: Fibrin sealants and platelet preparations in bone and periodontal healing. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2003;95:521-528.
- [12] Toffler M.: Guided bone regeneration (GBR) using cortical bone pins in combination with leukocyte- and platelet-rich fibrin (L-PRF). *Compend Contin Educ Dent* 201; 35:192-198.
- [13] Tunalı M, Özdemir H, Arabacı T, Gürbüzler B, Pıkdöken L, Fıratlı E: Clinical evaluation of autologous platelet-rich fibrin in the treatment of multiple adjacent gingival recession defects: a 12-month study. *Int J Periodontics Restorative Dent* 2015;35:105-114.
- [14] Zerener T, Aydıntug YS, Sencimen M et al.: Clinical comparison of submucosal injection of dexamethasone and triamcinolone acetonide on postoperative discomfort after third molar surgery. *Quintessence Int* 2015; 46:317-326.
- [15] Zumstein MA, Berger S, Schober M et al.: Leukocyte- and platelet-rich fibrin (L-PRF) for long-term delivery of growth factor in rotator cuff repair: review, preliminary results and future directions. *Curr Pharm Biotechnol* 2012;13:1196-1206.