

Literatur

Hand- oder Ultraschallinstrumentation – was ist effektiver?

Peter Hahner, Lena Walter, Georg Gaßmann

DI DENTALE IMPLANTOLOGIE & PARODONTOLOGIE, Ausgabe November 2019

- [1] Meyle J, Chapple I. Molecular aspects of the pathogenesis of periodontitis. *Periodontol* 2000. 2015 Oct;69(1):7-17.
- [2] Slots J. Subgingival microflora and periodontal disease. *J Clin Periodontol*. 1979 Oct;6(5):351-82.
- [3] Lindhe J, Westfelt E, Nyman S, Socransky SS, Haffajee AD. Long-term effect of surgical/non-surgical treatment of periodontal disease. *J Clin Periodontol*. 1984 Aug;11(7):448-58.
- [4] <https://www.ncbi.nlm.nih.gov/pubmed> (letzter Zugriff am 14.10.2019)
- [5] Jepsen S, Deschner J, Braun A, Schwarz F, Eberhard J. Calculus removal and the prevention of its formation. *Periodontol* 2000. 2011 Feb;55(1):167-188.
- [6] Allen DL, Kerr DA. Tissue response in the guinea pig to sterile and non-sterile calculus. *J Periodontol*. 1965;36:121-126.
- [7] Listgarten MA, Ellegaard B. Electron microscopic evidence of a cellular attachment between junctional epithelium and dental calculus. *J Periodontal Res*. 1973;8:143-150.
- [8] Gellin RG, Miller MC, Javed T, Engler WO, Mishkin DJ.. The effectiveness of the Titan-S sonic scaler in the removal of subgingival calculus. A human surgical evaluation. *J Periodontol*. 1986;57:672-680.
- [9] Rabbani GM, Ash MM Jr, Caffesse RG. The effectiveness of subgingival scaling and root planing in calculus removal. *J Periodontol*. 1981;52:119-132.
- [10] Robertson PB. *J Periodontol*. 1990 Jan;61(1):65-6.
- [11] Aleo JJ, De Renzis FA, Farber PA, Varboncoeur AP. The presence and biologic activity of cementum-bound endotoxin. *J Periodontol*. 1974 Sep;45(9):672-5.
- [12] Aleo JJ, DeRenzis FA, Farber PA. An *in vitro* attachment of human gingival fibroblasts to root surfaces. *J Periodontol* 1975;46:639-645.
- [13] Nabers CL, Prichard JF, Robinson RE, Schallhorn RG. In order to secure "fill" in osseous defects is it necessary or desirable to "plane" the exposed root surfaces until they are hard and smooth to the touch? *J Periodontol*. 1970 Jul;41(7):419-23.
- [14] Nakib NM, Bissada NF, Simmelink JW, Goldstine SN. Endotoxin penetration into root cementum of periodontally healthy and diseased human teeth. *J Periodontol*. 1982 Jun;53(6):368-78.
- [15] Moore J, Wilson M, Kieser JB. The distribution of bacterial lipopolysaccharide(endotoxin) in relation to periodontally involved root surfaces. *J Clin Periodontol*. 1986;13:748-751.
- [16] Nyman S, Westfelt E, Sarhed G, Karring T. Role of "diseased" root cementum in healing following treatment of periodontal disease. A clinical study. *J Clin Periodontol*. 1988 Aug;15(7):464-8.
- [17] Mombelli A, Nyman S, Brägger U, Wennström J, Lang NP. Clinical and microbiological changes associated with an altered subgingival environment induced by periodontal reduction. *J Clin Periodontol*. 1995;22:780-787.

- [18] Tammaro S, Wennström JL, Bergenholtz G. Root-dentin sensitivity following non-surgical periodontal treatment. *J Clin Periodontol*. 2000 Sep;27(9):690-7.
- [19] Echeverria JJ, Caffesse RG. Effects of gingival curettage when performed 1 month after root instrumentation. A biometric evaluation. *J Clin Periodontol*. 1983;10:277-286.
- [20] American Academy of Periodontology. The American Academy of Periodontology statement regarding gingival curettage. *J Periodontol*. 2002;73:1229-1230.
- [21] O'Leary TJ, Kafrawy AH. Total cementum removal: a realistic objective? *J Periodontol*. 1983 Apr;54(4):221-6.
- [22] Zappa U, Smith B, Simona C, Graf H, Case D, Kim W. Root substance removal by scaling and root planing. *J Periodontol*. 1991 Dec;62(12):750-4.
- [23] Lea SC, Landini G, Walmsley AD. Displacement amplitude of ultrasonic scaler inserts. *J Clin Periodontol*. 2003 Jun;30(6):505-10.
- [24] American Academy of Periodontology. Sonic and ultrasonic scalers in periodontics. *J Periodontol*. 2000;71:1792-1801.
- [25] Lea SC, Landini G, Walmsley AD. Vibration characteristics of ultrasonic scalers assessed with scanning laser vibrometry. *J Dent*. 2002 May;30(4):147-51.
- [26] Lea SC, Felver B, Landini G, Walmsley AD. Three-dimensional analyses of ultrasonic scaler oscillations. *J Clin Periodontol*. 2009;36(1):44-50.
- [27] Lea SC, Landini G. Reconstruction of dental ultrasonic scaler 3D vibration patterns from phase-related data. *Med Eng Phys*. 2010 Jul;32(6):673-7.
- [28] George MD, Donley TG, Preshaw PM. *Ultrasonic periodontal debridement: theory and technique*. John Wiley & Sons, 2014.
- [29] Jepsen S, Ayna M, Hedderich J, Eberhard J. Significant influence of scaler tip design on root substance loss resulting from ultrasonic scaling: a laser profilometric in vitro study. *J Clin Periodontol*. 2004;31: 1003-1006.
- [30] Lea SC, Felver B, Landini G, Walmsley AD. Ultrasonic scaler oscillations and tooth-surface defects. *J Dent Res*. 2009;88(3):229-234.
- [31] Walmsley AD, Laird WR, Williams AR. Dental plaque removal by cavitation activity during ultrasonic scaling. *J Clin Periodontol*. 1988 Oct;15(9):539-543.
- [32] Ritz L, Hefti AF, Rateitschak KH. An in vitro investigation on the loss of root substance in scaling with various instruments. *J Clin Periodontol*. 1991 Oct;18(9):643-7.
- [33] Crespi R, Barone A, Covani U. Histologic evaluation of three methods of periodontal root surface treatment in humans. *J Periodontol*. 2005 Mar;76(3):476-81.
- [34] Amid R, Kadkhodazadeh M, Fekrazad R, Hajizadeh F, Ghafoori A. Comparison of the effect of hand instruments, an ultrasonic scaler, and an erbium-doped yttrium aluminium garnet laser on root surface roughness of teeth with periodontitis: a profilometer study. *J Periodontal Implant Sci*. 2013 Apr;43(2):101-5.
- [35] Foroutan T, Amid R, Karimi MR. Comparison of Manual Tools, Ultrasonic and Erbium-Doped Yttrium Aluminum Garnet (Er:YAG) Laser on the Debridement Effect of the Surface of the Root of Teeth Suffering from Periodontitis. *J Lasers Med Sci*. 2013 Fall;4(4):199-205.

- [36] Solís Moreno C, Santos A, Nart J, Levi P, Velásquez A, Sanz Moliner J. Evaluation of root surface microtopography following the use of four instrumentation systems by confocal microscopy and scanning electron microscopy: an in vitro study. *J Periodontal Res.* 2012 Oct;47(5):608-15.
- [37] Rosales-Leal JI, Flores AB, Contreras T, Bravo M, Cabrerizo-Vílchez MA, Mesa F. Effect of root planing on surface topography: an in-vivo randomized experimental trial. *J Periodontal Res.* 2015 Apr;50(2):205-10.
- [38] Bozbay E, Dominici F, Gokbuget AY, Cintan S, Guida L, Aydin MS, Mariotti A, Piloni A. Preservation of root cementum: a comparative evaluation of power-driven versus hand instruments. *Int J Dent Hyg.* 2018 May;16(2):202-209.
- [39] Maritato M, Orazi L, Laurito D, Formisano G, Serra E, Lollobrigida M, Molinari A, De Biase A. Root surface alterations following manual and mechanical scaling: A comparative study. *Int J Dent Hyg.* 2018 Nov;16(4):553-558.
- [40] Chapper A, Catão VV, Oppermann RV. Hand and ultrasonic instrumentation in the treatment of chronic periodontitis after supragingival plaque control. *Braz Oral Res.* 2005 Jan-Mar;19(1):41-6.
- [41] Nonhoff J, Derdilopoulou F, Neumann K, Kielbassa AM. Vier Therapieformen im Quadrantendesign bei chronisch moderater Parodontitis. *Schweiz Monatschr Zahnmed.* 2006;116(5):484-92.
- [42] Ioannou I, Dimitriadis N, Papadimitriou K, Sakellari D, Vouros I, Konstantinidis A. Hand instrumentation versus ultrasonic debridement in the treatment of chronic periodontitis: a randomized clinical and microbiological trial. *J Clin Periodontol.* 2009 Feb;36(2):132-41.
- [43] Alves RV, Machion L, Casati MZ, Nociti FH Jr, Sallum EA, Sallum AW. Clinical attachment loss produced by curettes and ultrasonic scalers. *J Clin Periodontol.* 2005 Jul;32(7):691-4.
- [44] Barendregt DS, van der Velden U, Timmerman MF, van der Weijden F. Penetration depths with an ultrasonic mini insert compared with a conventional curette in patients with periodontitis and in periodontal maintenance. *J Clin Periodontol.* 2008 Jan;35(1):31-6.
- [45] Oosterwaal PJ, Matee MI, Mikx FH, van 't Hof MA, Renggli HH. The effect of subgingival debridement with hand and ultrasonic instruments on the subgingival microflora. *J Clin Periodontol.* 1987 Oct;14(9):528-33.
- [46] Derdilopoulou FV, Nonhoff J, Neumann K, Kielbassa AM. Microbiological findings after periodontal therapy using curettes, Er:YAG laser, sonic, and ultrasonic scalers. *J Clin Periodontol.* 2007 Jul;34(7):588-98.
- [47] Si W, Wang H, Li Q, Zhao X, Pan Y. Effects of different factors influencing clinical compliance of Chinese patients with chronic periodontitis. *Quintessence Int.* 2016;47(8):643-52.
- [48] Åslund M, Suvan J, Moles DR, D'Aiuto F, Tonetti MS. Effects of two different methods of non-surgical periodontal therapy on patient perception of pain and quality of life: a randomized controlled clinical trial. *J Periodontol.* 2008 Jun;79(6):1031-40.
- [49] Nibali L, Pometti D, Chen TT, Tu YK. Minimally invasive non-surgical approach for the treatment of periodontal intrabony defects: a retrospective analysis. *J Clin Periodontol.* 2015 Sep;42(9):853-859.