DI 1 2017, S. 16-25

Dr. Kleanthis Manolakis

Vergleich unterschiedlicher Attachments zur Befestigung prothetischer Suprakonstruktionen auf vier Implantaten im zahnlosen Unterkiefer – ein Fallbericht

[1] Gerritsen A. E., Allen P. F., Witter D. J., Bronkhorst E. M., Creugers N. H.: Tooth loss and oral health-related quality of life: a systematic review and meta-analysis. Health Qual Life Outcomes 8, 126 (2010).

[2] Nordenram G., Davidson T., Gynther G., Helgesson G., Hultin M., Jemt T., Lekholm U., Nilner K., Norlund A., Rohlin M., Sunnegardh-Gronberg K., Tranaeus S.: Qualitative studies of patients' perceptions of loss of teeth, the edentulous state and prosthetic rehabilitation: a systematic review with meta-synthesis. Acta Odontol Scand 71, 937-51 (2013).

[3] Armellini D. B., Heydecke G., Witter D. J., Creugers N. H.: Effect of removable partial dentures on oral health-related quality of life in subjects with shortened dental arches: a 2-center cross-sectional study. Int J Prosthodont 21, 524-30 (2008).

[4] De Bruyn H., Raes S., Matthys C., Cosyn J.: The current use of patient-centered/reported outcomes in implant dentistry: a systematic review. Clin Oral Implants Res 26 Suppl 11, 45-56 (2015).

[5] Emami E., Heydecke G., Rompre P. H., de Grandmont P., Feine J. S.: Impact of implant support for mandibular dentures on satisfaction, oral and general health-related quality of life: a meta-analysis of randomized-controlled trials. Clin Oral Implants Res 20, 533-44 (2009).

[6] Chen P., Yu S., Zhu G.: The psychosocial impacts of implantation on the dental aesthetics of missing anterior teeth patients. Br Dent J 213, E20 (2012).

[7] Warreth A., Alkadhimi A. F., Sultan A., Byrne C., Woods E.: Mandibular implant-supported overdentures: attachment systems, and number and locations of implants--Part I. J Ir Dent Assoc 61, 93-7 (2015).

[8] Johannsen A., Westergren A., Johannsen G.: Dental implants from the patients perspective: transition from tooth loss, through amputation to implants - negative and positive trajectories. J Clin Periodontol 39, 681-7 (2012).

[9] Trulsson U., Engstrand P., Berggren U., Nannmark U., Branemark P. I.: Edentulousness and oral rehabilitation: experiences from the patients' perspective. Eur J Oral Sci 110, 417-24 (2002).

[10] Teofilo L. T., Leles C. R.: Patients' self-perceived impacts and prosthodontic needs at the time and after tooth loss. Braz Dent J 18, 91-6 (2007).

[11] Brennan M., Houston F., O'Sullivan M., O'Connell B.: Patient satisfaction and oral health-related quality of life outcomes of implant overdentures and fixed complete dentures. Int J Oral Maxillofac Implants 25, 791-800 (2010).

[12] Pommer B., Mailath-Pokorny G., Haas R., Busenlechner D., Furhauser R., Watzek G.: Patients' preferences towards minimally invasive treatment alternatives for implant rehabilitation of edentulous jaws. Eur J Oral Implantol 7 Suppl 2, S91-109 (2014).

[13] Al-Omiri M. K., Hammad O. A., Lynch E., Lamey P. J., Clifford T. J.: Impacts of implant treatment on daily living. Int J Oral Maxillofac Implants 26, 877-86 (2011).

[14] Walia K., Belludi S. A., Kulkarni P., Darak P., Swamy S.: A Comparative and a Qualitative Analysis of Patient's Motivations, Expectations and Satisfaction with Dental Implants. J Clin Diagn Res 10, ZC23-6 (2016).

[15] Yao J., Li M., Tang H., Wang P. L., Zhao Y. X., McGrath C., Mattheos N.: What do patients expect from treatment with Dental Implants? Perceptions, expectations and misconceptions: a multicenter study. Clin Oral Implants Res, (2016).

[16] da Cunha M. C., Santos J. F., Santos M. B., Marchini L.: Patients' Expectation Before and Satisfaction After Full-Arch Fixed Implant-Prosthesis Rehabilitation. J Oral Implantol 41, 235-9 (2015).

[17] de Siqueira G. P., dos Santos M. B., dos Santos J. F., Marchini L.: Patients' expectation and satisfaction with removable dental prosthesis therapy and correlation with patients' evaluation of the dentists. Acta Odontol Scand 71, 210-4 (2013).
[18] de Souza F. I., de Souza Costa A., Dos Santos Pereira R., Dos Santos P. H., de Brito R. B., Jr., Rocha E. P.: Assessment of Satisfaction Level of Edentulous Patients Rehabilitated with Implant-Supported Prostheses. Int J Oral Maxillofac Implants 31, 884-90 (2016).
[19] Kuoppala R., Napankangas R., Raustia A.: Quality of Life of Patients Treated With Implant-Supported Mandibular Overdentures Evaluated With the Oral Health Impact Profile (OHIP-14): a Survey of 58 Patients. J Oral Maxillofac Res 4, e4 (2013).
[20] Mumcu E., Bilhan H., Geckili O.: The effect of attachment type and implant number on satisfaction and quality of life of mandibular implant-retained overdenture wearers. Gerodontology 29, e618-23 (2012).
[21] Thomason J. M., Feine J., Exley C., Moynihan P., Muller F., Naert I., Ellis J. S., Barclay C., Butterworth C., Scott B., Lynch C., Stewardson D., Smith P., Welfare R., Hyde P., McAndrew R., Fenlon M., Barclay S., Barker D.: Mandibular two implant-supported overdentures as the first choice standard of care for edentulous patients--the York Consensus Statement. Br Dent J 207, 185-6 (2009).
[22] Mericske-Stern R., Worni A.: Optimal number of oral implants for fixed reconstructions: a review of the literature. Eur J Oral Implantol 7 Suppl 2, S133-53 (2014).
[23] Foundation for Oral Rehabilitation (FOR): Patient-centred rehabilitation of edentulism with an optimal number of implants. A Foundation for Oral Rehabilitation (FOR) consensus conference. Eur J Oral Implantol 7 Suppl 2, S235-8 (2014).
[24] Roccuzzo M., Bonino F., Gaudioso L., Zwahlen M., Meijer H. J.: What is the optimal number of implants for removable reconstructions? A systematic review on implant-supported overdentures. Clin Oral Implants Res 23 Suppl 6, 229-37 (2012).
[25] Pomares C.: A retrospective study of edentulous patients rehabilitated according to the 'all-on-four' or the 'all-on-six' immediate function concept using flapless computer-guided implant surgery. Eur J Oral Implantol 3, 155-63 (2010).
[26] Krennmair G., Seemann R., Fazekas A., Ewers R., Piehslinger E.: Patient preference and satisfaction with implant-supported mandibular overdentures retained with ball or locator attachments: a crossover clinical trial. Int J Oral Maxillofac Implants 27, 1560-8 (2012).
[27] Krennmair G., Seemann R., Weinlander M., Piehslinger E.: Comparison of ball and telescopic crown attachments in implant-retained mandibular overdentures: a 5-year prospective study. Int J Oral Maxillofac Implants 26, 598-606 (2011).
[28] Chiapasco M., Zaniboni M., Rimondini L.: Dental implants placed in grafted maxillary sinuses: a retrospective analysis of clinical outcome according to the initial clinical situation and a proposal of defect classification. Clin Oral Implants Res 19, 416-28 (2008).
[29] Misch C. E.: Divisions of available bone in implant dentistry. Int J Oral Implantol 7, 9-17 (1990).
[30] Misch C. E.: Density of bone: effect on treatment plans, surgical approach, healing, and progressive boen loading. Int J Oral Implantol 6, 23-31 (1990).
[31] Gambia. The World in Figures. London: Palgrave Macmillan UK; 1978. p. 69-.
[32] Alsaadi G., Quirynen M., Komarek A., van Steenberghe D.: Impact of local and systemic factors on the incidence of oral implant failures, up to abutment connection. J Clin Periodontol 34, 610-7 (2007).
[33] Sclar A. G.: Guidelines for Flapless Surgery. Journal of Oral and Maxillofacial Surgery 65, 20-32 (2007).
[34] Allen F., Smith D. G.: An assessment of the accuracy of ridge-mapping in planning implant therapy for the anterior maxilla. Clin Oral Implants Res 11, 34-8 (2000).
[35] Wilson D. J.: Ridge mapping for determination of alveolar ridge width. Int J Oral Maxillofac Implants 4, 41-3 (1989).

[36] Esposito M., Hirsch J. M., Lekholm U., Thomsen P.: Biological factors contributing to failures of osseointegrated oral implants. (I). Success criteria and epidemiology. Eur J Oral Sci 106, 527-51 (1998).
[37] Uludag B., Polat S., Sahin V., Comut A. A.: Effects of implant angulations and attachment configurations on the retentive forces of locator attachment-retained overdentures. Int J Oral Maxillofac Implants 29, 1053-7 (2014).
[38] Scherer M. D., McGlumphy E. A., Seghi R. R., Campagni W. V.: Comparison of retention and stability of two implant-retained overdentures based on implant location. J Prosthet Dent 112, 515-21 (2014).
[39] Seo Y. H., Bae E. B., Kim J. W., Lee S. H., Yun M. J., Jeong C. M., Jeon Y. C., Huh J. B.: Clinical evaluation of mandibular implant overdentures via Locator implant attachment and Locator bar attachment. J Adv Prosthodont 8, 313-20 (2016).
[40] Ceruti P., Menicucci G., Schierano G., Mussano F., Preti G.: Mandibular implant-retained overdentures with 2 different prosthetic designs: a retrospective pilot study on maintenance interventions. Int J Prosthodont 19, 557-9 (2006).
[41] Elsyad M. A., Mahanna F. F., Elshahat M. A., Elshoukouki A. H.: Locators versus magnetic attachment effect on peri-implant tissue health of immediate loaded two implants retaining a mandibular overdenture: a 1-year randomised trial. J Oral Rehabil 43, 297-305 (2016).
[42] Grey E. B., Harcourt D., O'Sullivan D., Buchanan H., Kilpatrick N. M.: A qualitative study of patients' motivations and expectations for dental implants. Br Dent J 214, E1 (2013).
[43] Castillo-Oyague R., Suarez-Garcia M. J., Perea C., Rio J. D., Lynch C. D., Gonzalo E., Torres-Lagares D., Preciado A.: Validation of a new, specific, complete, and short OHRQoL scale (QoLFAST-10) for wearers of implant overdentures and fixed-detachable hybrid prostheses. J Dent 49, 22-32 (2016).
[44] Preciado A., Del Rio J., Lynch C. D., Castillo-Oyague R.: Impact of various screwed implant prostheses on oral health-related quality of life as measured with the QoLIP-10 and OHIP-14 scales: a cross-sectional study. J Dent 41, 1196-207 (2013).
[45] Rehmann P., Rudel K., Podhorsky A., Wostmann B.: Three-Year Analysis of Fixed and Removable Telescopic Attachment-Retained Implant-Supported Dental Prostheses: Survival and Need for Maintenance. Int J Oral Maxillofac Implants 30, 918-24 (2015).
[46] Kern J. S., Kern T., Wolfart S., Heussen N.: A systematic review and meta-analysis of removable and fixed implant-supported prostheses in edentulous jaws: post-loading implant loss. Clin Oral Implants Res 27, 174-95 (2016).
[47] de Brandao M. L., Vettore M. V., Vidigal Junior G. M.: Peri-implant bone loss in cement- and screw-retained prostheses: systematic review and meta-analysis. J Clin Periodontol 40, 287-95 (2013).
[48] Sherif S., Susarla H. K., Kapos T., Munoz D., Chang B. M., Wright R. F.: A systematic review of screw- versus cement-retained implant-supported fixed restorations. J Prosthodont 23, 1-9 (2014).
[49] Nissan J., Narobai D., Gross O., Ghelfan O., Chaushu G.: Long-term outcome of cemented versus screw-retained implant-supported partial restorations. Int J Oral Maxillofac Implants 26, 1102-7 (2011).
[50] Millen C., Bragger U., Wittneben J. G.: Influence of prosthesis type and retention mechanism on complications with fixed implant-supported prostheses: a systematic review applying multivariate analyses. Int J Oral Maxillofac Implants 30, 110-24 (2015).
[51] Wittneben J. G., Millen C., Bragger U.: Clinical performance of screw- versus cement-retained fixed implant-supported reconstructions--a systematic review. Int J Oral Maxillofac Implants 29 Suppl, 84-98 (2014).
[52] Ma S., Fenton A.: Screw- versus cement-retained implant prostheses: a systematic review of prosthodontic maintenance and complications. Int J Prosthodont 28, 127-45 (2015).