

- [1] Dable RA, Yashwante BJ, Marathe SS, Gaikwad BS, Patil PB and Momin AA. Tooth loss – how emotional it is for the elderly in India? *Oral Health Dent Manag.* 2014;13:305-10.
- [2] Davis LG, Ashworth PD and Spriggs LS. Psychological effects of aesthetic dental treatment. *J Dent.* 1998;26:547-54.
- [3] Einarson S, Gerdin EW and Hugoson A. Oral health-related quality of life and its relationship to self-reported oral discomfort and clinical status. *Swed Dent J.* 2014;38:169-78.
- [4] Fiske J, Davis DM, Frances C and Gelbier S. The emotional effects of tooth loss in edentulous people. *Br Dent J.* 1998;184:90-3; discussion 79.
- [5] Moldovan O, Rudolph H and Luthardt RG. Clinical performance of removable dental prostheses in the moderately reduced dentition: a systematic literature review. *Clin Oral Investig.* 2016.
- [6] Nickenig HJ, Spiekermann H, Wichmann M, Andreas SK and Eitner S. Survival and complication rates of combined tooth-implant-supported fixed and removable partial dentures. *Int J Prosthodont.* 2008;21:131-7.
- [7] Kerschbaum T. Langzeitüberlebensdauer von Zahnersatz. Eine Übersicht. *Quintessenz.* 2004;55:1113-26.
- [8] Oh SH, Kim Y, Park JY, Jung YJ, Kim SK and Park SY. Comparison of fixed implant-supported prostheses, removable implant-supported prostheses, and complete dentures: patient satisfaction and oral health-related quality of life. *Clin Oral Implants Res.* 2016;27:e31-7.
- [9] Persic S and Celebic A. Influence of different prosthodontic rehabilitation options on oral health-related quality of life, orofacial esthetics and chewing function based on patient-reported outcomes. *Qual Life Res.* 2015;24:919-26.
- [10] Mehl C, Kern M, Freitag-Wolf S, Wolfart M, Brunzel S and Wolfart S. Does the Oral Health Impact Profile questionnaire measure dental appearance? *Int J Prosthodont.* 2009;22:87-93.
- [11] Tealdo T, Bevilacqua M, Pera F, Menini M, Ravera G, Drago C, et al. Immediate function with fixed implant-supported maxillary dentures: a 12-month pilot study. *Journal of Prosthetic Dentistry.* 2008;99:351-60.
- [12] Bergkvist G, Nilner K, Sahlholm S, Karlsson U and Lindh C. Immediate loading of implants in the edentulous maxilla: use of an interim fixed prosthesis followed by a permanent fixed prosthesis: a 32-month prospective radiological and clinical study. *Clinical Implant Dentistry and Related Research.* 2009;11:1-10.
- [13] Abboud M, Koeck B, Stark H, Wahl G and Paillon R. Immediate loading of single-tooth implants in the posterior region. *The International Journal of Oral & Maxillofacial Implants.* 2005;20:61-8.
- [14] Malo P, de Araujo Nobre M, Lopes A, Francischone C and Rigolizzo M. "All-on-4" immediate-function concept for completely edentulous maxillae: a clinical report on the medium (3 years) and long-term (5 years) outcomes. *Clinical Implant Dentistry and Related Research.* 2012;14:139-50.
- [15] Aita H, Hori N, Takeuchi M, Suzuki T, Yamada M, Anpo M, et al. The effect of ultraviolet functionalization of titanium on integration with bone. *Biomaterials.* 2009;30:1015-25.
- [16] Moy PK, Medina D, Shetty V and Aghaloo TL. Dental implant failure rates and associated risk factors. *The International Journal of Oral & Maxillofacial Implants.* 2005;20:569-77.

- [17] Chuang SK, Wei LJ, Douglass CW and Dodson TB. Risk factors for dental implant failure: a strategy for the analysis of clustered failure-time observations. *Journal of Dental Research*. 2002;81:572-7.
- [18] Weinlaender M, Kenney EB, Lekovic V, Beumer J, 3rd, Moy PK and Lewis S. Histomorphometry of bone apposition around three types of endosseous dental implants. *The International Journal of Oral & Maxillofacial Implants*. 1992;7:491-6.
- [19] Berglundh T, Abrahamsson I, Albouy JP and Lindhe J. Bone healing at implants with a fluoride-modified surface: an experimental study in dogs. *Clinical Oral Implants Research*. 2007;18:147-52.
- [20] Ogawa T and Nishimura I. Different bone integration profiles of turned and acid-etched implants associated with modulated expression of extracellular matrix genes. *The International Journal of Oral & Maxillofacial Implants*. 2003;18:200-10.
- [21] De Maezthu MA, Braceras I, Alava JI and Gay-Escoda C. Improvement of osseointegration of titanium dental implant surfaces modified with CO ions: a comparative histomorphometric study in beagle dogs. *International Journal of Oral & Maxillofacial Surgery*. 2008;37:441-7.
- [22] Javed F, Vohra F, Zafar S and Almas K. Significance of osteogenic surface coatings on implants to enhance osseointegration under osteoporotic-like conditions. *Implant Dent*. 2014;23:679-86.
- [23] Alsaadi G, Quirynen M, Komarek A and van Steenberghe D. Impact of local and systemic factors on the incidence of oral implant failures, up to abutment connection. *J Clin Periodontol*. 2007;34:610-7.
- [24] van Steenberghe D, Quirynen M, Molly L and Jacobs R. Impact of systemic diseases and medication on osseointegration. *Periodontol 2000*. 2003;33:163-71.
- [25] Wolfart S, Wolf K, Brunzel S, Wolfart M, Caliebe A and Kern M. Implant placement under existing removable dental prostheses and its effect on masticatory performance. *Clin Oral Investig*. 2016.
- [26] Wolfart S, Braasch K, Brunzel S and Kern M. The central single implant in the edentulous mandible: improvement of function and quality of life. A report of 2 cases. *Quintessence Int*. 2008;39:541-8.
- [27] Zarb GA and Schmitt A. The longitudinal clinical effectiveness of osseointegrated dental implants: the Toronto study. Part III: Problems and complications encountered. *The Journal of prosthetic dentistry*. 1990;64:185-94.
- [28] Zarb GA and Schmitt A. Osseointegration and the edentulous predicament. The 10-year-old Toronto study. *British dental journal*. 1991;170:439-44.
- [29] Davies P and Payne I. The evaluation of relative stress levels associated with common dental procedures. *Dent Update*. 1980;7:339-42.
- [30] Malo P, de Araujo Nobre M, Borges J and Almeida R. Retrievable metal ceramic implant-supported fixed prostheses with milled titanium frameworks and all-ceramic crowns: retrospective clinical study with up to 10 years of follow-up. *J Prosthodont*. 2012;21:256-64.
- [31] Malo P, de Araujo Nobre M and Lopes A. The prognosis of partial implant-supported fixed dental prostheses with cantilevers. A 5-year retrospective cohort study. *Eur J Oral Implantol*. 2013;6:51-9.
- [32] Takahashi T, Shimamura I and Sakurai K. Influence of number and inclination angle of implants on stress distribution in mandibular cortical bone with All-on-4 Concept. *J Prosthodont Res*. 2010;54:179-84.
- [33] Malo P, de Araujo Nobre M, Lopes A, Moss SM and Molina GJ. A longitudinal study of the survival of All-on-4 implants in the mandible with up to 10 years of follow-up. *J Am Dent Assoc*. 2011;142:310-20.
- [34] Lekholm U, Grondahl K and Jemt T. Outcome of oral implant treatment in partially edentulous jaws followed 20 years in clinical function. *Clin Implant Dent Relat Res*. 2006;8:178-86.
- [35] Chan MH and Holmes C. Contemporary "All-on-4" concept. *Dent Clin North Am*. 2015;59:421-70.

- [36] Mehl C, Wolfart S, Vollrath O, Wenz HJ and Kern M. Perception of dental esthetics in different cultures. *Int J Prosthodont.* 2014;27:523-9.
- [37] Mehl C, Harder S, Lin J, Vollrath O and Kern M. Perception of dental esthetics: influence of restoration type, symmetry, and color in four different countries. *Int J Prosthodont.* 2015;28:60-4.
- [38] Mehl CJ, Harder S, Wolfart S, Vollrath O, Trinkler A, Wenz HJ, et al. Influence of dental education on esthetic perception. *Int J Esthet Dent.* 2015;10:486-99.
- [39] Jacobs R and van Steenberghe D. Comparative evaluation of the oral tactile function by means of teeth or implant-supported prostheses. *Clin Oral Implants Res.* 1991;2:75-80.
- [40] Sailer I, Gottnerb J, Kanelb S and Hammerle CH. Randomized controlled clinical trial of zirconia-ceramic and metal-ceramic posterior fixed dental prostheses: a 3-year follow-up. *Int J Prosthodont.* 2009;22:553-60.
- [41] Sailer I, Feher A, Filser F, Gauckler LJ, Luthy H and Hammerle CH. Five-year clinical results of zirconia frameworks for posterior fixed partial dentures. *Int J Prosthodont.* 2007;20:383-8.
- [42] Limmer B, Sanders AE, Reside G and Cooper LF. Complications and patient-centered outcomes with an implant-supported monolithic zirconia fixed dental prosthesis: 1 year results. *J Prosthodont.* 2014;23:267-75.