

Behandlung singulärer Gingivarezessionen mittels koronaler Verschiebeplastik in Verbindung mit einer porcinen Kollagenmatrix

- [1] Sarfati, A., et al., Risk assessment for buccal gingival recession defects in an adult population. *J Periodontol*, 2010. 81(10): p. 1419-25.
- [2] Chambrone, L. and D.N. Tatakis, Periodontal soft tissue root coverage procedures: a systematic review from the AAP Regeneration Workshop. *J Periodontol*, 2015. 86(2 Suppl): p. S8-51.
- [3] Atieh, M.A., et al., Xenogeneic collagen matrix for periodontal plastic surgery procedures: a systematic review and meta-analysis. *J Periodontal Res*, 2016. 51(4): p. 438-52.
- [4] Wessel, J.R. and D.N. Tatakis, Patient outcomes following subepithelial connective tissue graft and free gingival graft procedures. *J Periodontol*, 2008. 79(3): p. 425-30.
- [5] Pabst, A.M., et al., Synchrotron-based X-ray tomographic microscopy for visualization of three-dimensional collagen matrices. *Clin Oral Investig*, 2015. 19(2): p. 561-4.
- [6] Pabst, A.M., et al., In vitro and in vivo characterization of porcine acellular dermal matrix for gingival augmentation procedures. *J Periodontal Res*, 2014. 49(3): p. 371-81.
- [7] Rothamel, D., et al., Biodegradation pattern and tissue integration of native and cross-linked porcine collagen soft tissue augmentation matrices - an experimental study in the rat. *Head Face Med*, 2014. 10: p. 10.
- [8] Schmitt, C.M., et al., Soft tissue volume alterations after connective tissue grafting at teeth: the subepithelial autologous connective tissue graft versus a porcine collagen matrix - a pre-clinical volumetric analysis. *J Clin Periodontol*, 2016. 43(7): p. 609-17.
- [9] Zafiroopoulos, G.-G., et al. Changes of the peri-implant soft tissue thickness after grafting with a collagen matrix. *J Indian Soc Periodontol*, 2016. DOI: 10.4103/0972-124X.181245.
- [10] Konstantinova, D., et al., Presentation of a modified method of vestibuloplasty with an early prosthetic loading *Journal of IMAB—Annual Proceeding Scientific Papers*, 2015. 21(4): p. 964-968.
- [11] Rossi, A., et al., A new three-dimensional collagen matrix for peri-implant soft tissue augmentation in the esthetic area of the maxilla: Case report. *IMPLANTOLOGIE*, 2014. 22(4): p. 401-409.
- [12] Stricker, A., Evaluation of a porcine collagen matrix to create new keratinized tissue at deficient implant sites: 12 months results from a controlled prospective clinical study. *Clin Oral Impl Res S*, 2014. 25(s10): p. 490.
- [13] Cieslik-Wegemund, M., et al., Collagen Matrix With Tunnel Technique Compared to Connective Tissue Graft for the Treatment of Periodontal Recession - Randomized Clinical Trial. *J Periodontol*, 2016: p. 1-15.
- [14] Cosgarea, R., et al., Clinical evaluation of a porcine acellular dermal matrix for the treatment of multiple adjacent class I, II, and III gingival recessions using the modified coronally advanced tunnel technique. *Quintessence Int*, 2016. 47(9): p. 739-47.
- [15] Langer, B. and L. Langer, Subepithelial connective tissue graft technique for root coverage. *J Periodontol*, 1985. 56(12): p. 715-20.
- [16] Kasaj, A., et al., The influence of various rehydration protocols on biomechanical properties of different acellular tissue matrices. *Clin Oral Investig*, 2016. 20(6): p. 1303-15.