

## Literatur

# Führen oder geführt werden – Mensch versus Maschine in der Implantologie

Prof. Dr. Christian Mehl, ZT Florian Hagemoser, PD D. Sönke Harder

- [1] T. Kerschbaum, Langzeitüberlebensdauer von Zahnersatz. Eine Übersicht. [Article is in German], Die Quintessenz 55(10) (2004) 1113-1126.
- [2] C. Mehl, M. Kern, S. Freitag-Wolf, M. Wolfart, S. Brunzel, S. Wolfart, Does the Oral Health Impact Profile questionnaire measure dental appearance?, Int J Prosthodont 22(1) (2009) 87-93.
- [3] C.J. Mehl, S. Harder, M. Kern, S. Wolfart, Patients' and dentists' perception of dental appearance, Clin Oral Investig 15(2) (2011) 193-9.
- [4] S. Wolfart, S. Harder, S. Reich, I. Sailer, V. Weber, Implantatprothetik - Ein patientenorientiertes Konzept, Quintessenz - Berlin 2014.2014.
- [5] S. Wolfart, K. Wolf, S. Brunzel, M. Wolfart, A. Caliebe, M. Kern, Implant placement under existing removable dental prostheses and its effect on masticatory performance, Clin Oral Investig (2016).
- [6] S. Wolfart, K. Braasch, S. Brunzel, M. Kern, The central single implant in the edentulous mandible: improvement of function and quality of life. A report of 2 cases, Quintessence Int 39(7) (2008) 541-8.
- [7] G.A. Zarb, A. Schmitt, The longitudinal clinical effectiveness of osseointegrated dental implants: the Toronto study. Part I: Surgical results, The Journal of prosthetic dentistry 63(4) (1990) 451-7.
- [8] G.A. Zarb, A. Schmitt, Osseointegration and the edentulous predicament. The 10-year-old Toronto study, Br Dent J 170(12) (1991) 439-44.
- [9] P. Davies, I. Payne, The evaluation of relative stress levels associated with common dental procedures, Dent Update 7(6) (1980) 339-42.
- [10] P. Malo, M. de Araujo Nobre, J. Borges, R. Almeida, Retrievable metal ceramic implant-supported fixed prostheses with milled titanium frameworks and all-ceramic crowns: retrospective clinical study with up to 10 years of follow-up, J Prosthodont 21(4) (2012) 256-64.

- [11] P. Malo, M. de Araujo Nobre, A. Lopes, The prognosis of partial implant-supported fixed dental prostheses with cantilevers. A 5-year retrospective cohort study, *Eur J Oral Implantol* 6(1) (2013) 51-9.
- [12] C. Mehl, S. Harder, "Feste dritte Zähne" an einem Tag - ein Fallbericht, *ZMK* 5 (2015) 1-7.
- [13] U. Lekholm, K. Grondahl, T. Jemt, Outcome of oral implant treatment in partially edentulous jaws followed 20 years in clinical function, *Clinical implant dentistry and related research* 8(4) (2006) 178-86.
- [14] P. Malo, M. de Araujo Nobre, A. Lopes, S.M. Moss, G.J. Molina, A longitudinal study of the survival of All-on-4 implants in the mandible with up to 10 years of follow-up, *Journal of the American Dental Association* 142(3) (2011) 310-20.
- [15] R. Jacobs, D. van Steenberghe, Comparative evaluation of the oral tactile function by means of teeth or implant-supported prostheses, *Clin Oral Implants Res* 2(2) (1991) 75-80.
- [16] I. Sailer, J. Gottnerb, S. Kanelb, C.H. Hammerle, Randomized controlled clinical trial of zirconia-ceramic and metal-ceramic posterior fixed dental prostheses: a 3-year follow-up, *Int J Prosthodont* 22(6) (2009) 553-60.
- [17] I. Sailer, A. Feher, F. Filser, L.J. Gauckler, H. Luthy, C.H. Hammerle, Five-year clinical results of zirconia frameworks for posterior fixed partial dentures, *Int J Prosthodont* 20(4) (2007) 383-8.
- [18] I. Sailer, N.A. Makarov, D.S. Thoma, M. Zwahlen, B.E. Pjetursson, All-ceramic or metal-ceramic tooth-supported fixed dental prostheses (FDPs)? A systematic review of the survival and complication rates. Part I: Single crowns (SCs), *Dent Mater* 31(6) (2015) 603-23.
- [19] C. Mehl, Vollanatomisch gefräster Zahnersatz aus Zirkoniumdioxid – die Zukunft?, *ZMK* 5 (2015) 1-8.
- [20] B. Limmer, A.E. Sanders, G. Reside, L.F. Cooper, Complications and patient-centered outcomes with an implant-supported monolithic zirconia fixed dental prosthesis: 1 year results, *J Prosthodont* 23(4) (2014) 267-75.
- [21] J. Schley, H. Terheyden, S. Wolfart, Implantatprothetische Versorgung des zahnlosen Oberkiefers, S3-Leitlinie, AWMF-Registernr. 083-010 (2013).

- [22] A. Mehl, R. Koch, M. Zaruba, A. Ender, 3D monitoring and quality control using intraoral optical camera systems, *International journal of computerized dentistry* 16(1) (2013) 23-36.
- [23] C. Mehl, *Prothetik im digitalen Zeitalter*, *Special Tribune* 9 (2014) 18-22.
- [24] N. Van Assche, M. Vercruyssen, W. Coucke, W. Teughels, R. Jacobs, M. Quirynen, Accuracy of computer-aided implant placement, *Clin Oral Implants Res* 23 Suppl 6 (2012) 112-23.
- [25] D. Schneider, P. Marquardt, M. Zwahlen, R.E. Jung, A systematic review on the accuracy and the clinical outcome of computer-guided template-based implant dentistry, *Clin Oral Implants Res* 20 Suppl 4 (2009) 73-86.
- [26] A. Guentsch, L. Sukhtankar, H. An, P.G. Luepke, Precision and trueness of implant placement with and without static surgical guides: An in vitro study, *The Journal of prosthetic dentistry* (2020).
- [27] C. Mehl, S. Harder, J. Lin, O. Vollrath, M. Kern, Perception of dental esthetics: influence of restoration type, symmetry, and color in four different countries, *Int J Prosthodont* 28(1) (2015) 60-4.
- [28] C. Mehl, S. Harder, J. Lin, O. Vollrath, M. Kern, Perception of dental esthetics in different cultures, *Int J Prosthodont* 28(1) (2015) 60-4.
- [29] C. Mehl, S. Harder, S. Wolfart, O. Vollrath, A. Trinkler, H.J. Wenz, M. Kern, Influence of dental education on esthetic perception, *Int J Esth Dent* 10(3) (2015) in press.