

Literatur

Pathogenese der Periimplantitis

Dr. E. Jacobi-Gresser

DENTALE IMPLANTOLOGIE, September 2018

1. Wilson V. An insight into peri-implantitis: a systematic literature review. *Prim Dent J.* 2013;2(2):69-73
2. Albrektsson T, Dahlin C, Jemt T, Sennerby L, Turri A, Wennerberg A. Is marginal bone loss around oral implants the result of a provoked foreign body reaction? *Clin Impl Dent Relat Res* 2014; 16:155-65
3. Athieh MA, Alsabeeha N, Faggion jr CM, Duncan WJ. The frequency of peri-implant diseases: a systematic review and meta-analysis. *J Periodontol* 2013; 84(11): 1586-1598
4. Liao J, Li C, Wang Y, Ten M, Sun X, Tian A, Zhang Q, Liang X. Meta-analysis of the association between common interleukin-1 polymorphisms and dental implant failure. *Mol Biol Rep* 2014; 41:2789-2798.
5. Kornman K S et al. The interleukin-1 genotype as a severity factor in adult periodontal disease. *J Clin Periodontol.* 1997; 1:72-7
6. Laine ML, Leonhard A, Roos-Jansaker A-M, Peña A S, van Winkelhoff A J, Winkel EG, Renvert S. IL-1 RN gene polymorphism is associated with periimplantitis. *Clin Oral Impl Res* 2006; 17, 380 – 385
7. Shimpuku H et al. Genetic polymorphisms of the interleukin-1 gene and early marginal bone loss around endosseous dental implants. *Clin Oral Implants Res* 14(4): 423–429, 2003
8. Mao M et al. Interleukin-1 α -899 (+4845) C→T polymorphism increases the risk of chronic periodontitis: evidence from a meta-analysis of 23 case-control studies. *Gene* 2013;532(1):114-9
9. Ding C et al. TNF- α gene promoter polymorphisms contribute to periodontitis susceptibility: evidence from 46 studies. *J Clin Periodontol.* 2014; 41(8):748-59
10. Masada M P et al. Measurement of interleukin-1 α and -1 β in gingival crevicular fluid: implication for the pathogenesis of periodontal disease. *J Periodont Res* 1990; 25:156-163
11. Gruica B et al. Impact of IL-1 genotyp and smoking status on the prognosis of osseointegrated implants. *Clin Oral Implants Res* 2004; 15(4): 393–400
12. Moreira PR et al. Interleukin-6 expression and gene polymorphism are associated with severity of periodontal disease in a sample of Brazilian individuals. *Clin Exp Immunol* 2007; 148(1):119-26
13. Jacobi-Gresser E, Roch LM, Wanner A, Schütt S, Schnakenberg E. Sequence variants of IL6 gene in periodontitis and dental implant loss. submitted 2018
14. Zhong et al. Interleukin-10 gene polymorphisms and chronic/aggressive periodontitis susceptibility: a meta-analysis based on 14 case-control studies. *Cytokine* 2012; 60(1):47-54
15. Claudio M et al. The broad effects of the functional IL-10 promoter-592 polymorphism: modulation of IL-10, TIMP-3, and OPG expression and their association with periodontal disease outcome. *J Leukoc Biol* 2008; 84(6):1565-73
16. Jacobi-Gresser E, Huesker K, Schütt S. Genetic and immunological markers predict titanium implant failure: a retrospective study. *Int J Oral Maxillofac Surg* 2013; 42(4):537- 43
17. Solar R. J., Pollack S. R., Korostoff E.: In vitro corrosion testing of titanium surgical implant alloys: an approach to understanding titanium release from implants. *J Biomed Mater Res* 1979; 13: 217-250
18. Wenneberg A, Ide-Ektessabi A, Hatkamata S, Sawase T, Johansson C, Albrektsson T, Martilli A, Söderval U, Odelius H. Titanium release from implants prepared with different surface roughness. *Clin Oral Impl Res* 2004; 15: 505 -512
19. Rader CP, Sterner, T., Jakob, F., Schütze N., Eulert J.: Cytokine response of human macrophage-like cells after contact with polyethylene and pure titanium particles. *J Arthroplasty* 1999; 14: 840 - 848

20. Olmedo D, Fernández MM, Guglielmotti MB, Cabrini RL. Macrophages related to dental implant failure. *Impl Dent* 2003; 12:75-80
21. Sterner T, Schütze N, Saxler G, Jakob F, Rader CP. Effects of clinically relevant alumina ceramic, zirconia ceramic and titanium particles of different sizes and concentrations on the TNF-alpha release in a human macrophage cell line. *Biomed Tech* 2004; 49:340-44
22. Schütt S., v. Baehr V.: Hyperreaktivität von Gewebemakrophagen nach Kontakt mit Titanoxidpartikeln als Ursache einer verstärkten lokalen Entzündungsreaktion bei Patienten mit Periimplantitis. *ZWR – Das Deutsche Zahnärzteblatt* 2010; 119(5): 222-232
23. Senna P, Antoninha Del Bel Cury A, Kates S, Meirelles L. Surface Damage on Dental Implants with Release of Loose Particles after Insertion into Bone. *Clin Impl Dent Relat Res* 2015; 17(4):681-692
24. Apaza-Bedoya K, Tarce M, Benfatti CA, Henriques B, Mathew MT, Teughels W, Souza JC (2017): Synergistic interactions between corrosion and wear at titanium-based dental implant connections: a scoping review. *J Periodontol Res.* doi:10.1111/jre.12469
25. Fretwurst T, Nelson K, Tarnow DP, Wang H-L, Giannobile WV. Is Metal Release Associated with Peri-implant Bone Destruction? An Emerging Concept. *J Dent Res* 2018; 97(3): 259-265
26. Alrabeah GO, Brett P, Knowles JC, Petridis H. The effect of metal ions released from different dental implant-abutment couples on osteoblast function and secretion of bone resorbing mediators. *J Dent.* 2017; doi.org/10.1016/j.jdent.2017.08.002
27. Eger M, Sterer N, Liron T, Kohavi D, Babet Y. Scaling of titanium implants entrains inflammation-induced osteolysis. *Sci Rep* 2017; 7:39612
28. Meyer U, Buhner M, Buchter A, Kruse-Losler B, Stamm T, Wiesmann HP. Fast element mapping of titanium wear around implants of different surface structures. *Clin Oral Implant Res* 2006; 17: 206-11
29. Grosse S, Haugland HK, Lilleng P, Ellison P, Hallan G, Hol PJ. Wear particles and ions from cemented and uncemented titanium-based hip prostheses - a histological and chemical analysis of retrieval material. *J Biomed Mater Res B Appl Biomater* 2015;103(3):709-712
30. Safioti LM, Kosakis GA, Pozhitkov AE, Chung WO, Daubert DM (2017): Increased levels of dissolved titanium are associated with peri-implantitis – a cross-sectional study. *J Periodontol* 2017; 88(5):436-442
31. Nakashima Y, Sun D-H, Trindade M, Maloney W, Goodman S, Schurman D, Smith L. Signaling pathway for Tumor Necrosis Factor-a and Interleukin-6 Expression in Human Macrophages exposed to Titanium-Alloy Particulate Debris in Vitro. *J Bone Joint Surg* 1999; 81-A:603-13
32. Pettersson M, Kelk P, Belibasakis GN, Bylund D, Molin Thoren M, Johansson A. Titanium ions form particles that activate and execute interleukin-1beta release from lipopolysaccharide-primed macrophages. *J Periodontal Res* 2017; 52(1): 21-32
33. Scridhar S, Wilson Jr TG, Palmer KL, Valderrama P, Mathew MT, Prasad S, Jacobs M, Gindri IM, Rodrigues DC. In Vitro Investigation of the Effect of Oral Bacteria in the Surface Oxidation of Dental Implants. *Clin Impl Dent* 2015; 17: 562-575
34. Dodo CG, Meirelles L, Aviles-Reyes A, Gonzales SR, Abrantes J, Antoninha Del Bel Cury A. Pro-inflammatory Analysis of Macrophages in Contact with Titanium Particles and *Porphyromonas gingivalis*. *Brazilian Dent J.* 2017; doi.org/10.1590/0103-6440201701382
35. Le XK et al. *Porphyromonas gingivalis* decreases osteoblast proliferation through IL-6-RANKL/OPG and MMP-9/TIMPs pathways. *Indian J Dent Res.* 2009; 2:141-149
36. Sousa V, Nibali L, Spratt D, Dopico J, Mardas N, Petrie A, Donos N (2017): Peri-implant and periodontal microbiome diversity in aggressive periodontitis patients: a pilot study. *Clin Oral Implants Res.* 28(5):558-570
37. Kronström M et al. Humoral immunity host factors in subjects with failing or successful titanium dental implants. *J Clin Periodontol* 2000; 27:875-882
38. Yu TS. Effect of titanium-ion on the growth of various bacterial species. *J Microbiol* 2004; 42(I):47-50

39. Sterner T, Schütze N, Saxler G, Jakob F, Rader CP. Effects of clinically relevant alumina ceramic, zirconia ceramic and titanium particles of different sizes and concentrations on the TNF-alpha release in a human macrophage cell line. *Biomed Tech* 2004; 49:340-344
40. Degidi M et al. Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissue around titanium and zirconium healing caps. *J Periodontol* 2006; 77(1):73-80
41. Al-Ahmad A, Wiedmann-Al-Ahmad M, Fackler A, Follo M, Hellwig E, Bächle M, Hannig C, Han JS, Wolkewitz M, Kohal R. In vivo study of the initial bacterial adhesion on different implant materials. *Archives of Oral Biol* 2013; 58:1139-47
42. Roehling S, Astasov-Frauenhoffer M, Hauser-Gerspach I, Braissant O, Woelfler H, Waltimo T, Kniha H, Gahlert M. In Vitro Biofilm Formation on Titanium and Zirconia Implant Surfaces. *J Periodontol* 2017; 88:298-307
43. Rimondini L, Cerroni L, Carrassi A, Torricelli P. Bacterial colonization of zirconia ceramic surfaces: an in vitro and in vivo study. *Int J Oral Maxillofac Implants* 2002; 17:793-98
44. Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial adhesion on commercially pure titanium and zirconium oxide disks: an in vivo human study. *J Periodontol* 2004; 75:292-96
45. Landolt D. Electrochemical and materials aspects of tribocorrosion systems, *J. Physics D: Appl Phys* 2006; 39: 1-7
46. Teughels W, Van Assche N, Sliepen I, Quirynen M. Effect of material characteristics and/or surface topography on biofilm development. *Clin Oral Implants Res* 2006;17 (Suppl 2):68-81.
47. Elshahawy et al. Elemental ion release from fixed restorative materials into patient saliva. *J Oral Rehabil* 2013; 40; 381-388
48. Kaner D, Bernimoulin J-P, Dietrich T, Kleber B-M, Friedmann A. Calprotection levels in gingival fluid predict disease activity in patients treated for generalized aggressive periodontitis. *J Periodont Res* 2011; doi: 10.1111/j.1600-0765.2011.01355.x.
49. Meissen R, Mintcheva M, Netuschil L. Matrix-Metalloproteinase-8-Spiegel in der periimplantären Sulcusflüssigkeit an Titan- und Zirkonnitridoberflächen. *Int Par Rest Zahnheilk* 2014;34:91-95