

## Literatur

### 3D-Analyse-Verfahren zur Implantatchirurgie-Planung? Teil 1

Dr. Alexander Volkmann , Dr. Hans-Ulrich Reuter , Dr. Christina Dederichs , ZÄ Irene Göllnitz  
DENT IMPLANTOL 21, 6, 354-363 (2017)

- [1] Arisan V, Karabuda ZC, Piskin B, Ozdemir T. 2013a. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-aided implant placement. Part II: reliability of mucosa-supported stereolithographic guides. *Clin Implant Dent Relat Res*, 15 (6):907-917.
- [2] Arisan V, Karabuda ZC, Avsever H, Ozdemir T. 2013b. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-assisted implant placement. Part I: relationship of radiographic gray density and implant stability. *Clin Implant Dent Relat Res*, 15 (6):893-906.
- [3] Buser DA, Tonetti M. 1997. Clinical trials on implants in regenerated bone. *Ann Periodontol*, 2 (1):329-342.
- [4] Cassetta M, Stefanelli LV, Giansanti M, Di Mambro A, Calasso S. 2013. Accuracy of a computer-aided implant surgical technique. *Int J Periodontics Restorative Dent*, 33 (3):317-325.
- [5] di Torresanto VM, Milinkovic I, Torsello F, Cordaro L. 2014. Computer-assisted flapless implant surgery in edentulous elderly patients: a 2-year follow up. *Quintessence Int*, 45 (5):419-429.
- [6] G DEV, Ferraris F, Arcuri L, Guzzo F, Spinelli D. 2016. A novel workflow for computer guided implant surgery matching digital dental casts and CBCT scan. *Oral Implantol (Rome)*, 9 (1):33-48.
- [7] Jung RE, Schneider D, Ganeles J, Wismeijer D, Zwahlen M, Hammerle CH, Tahmaseb A. 2009. Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants*, 24 Suppl:92-109.
- [8] Nickenig HJ, Eitner S. 2010. An alternative method to match planned and achieved positions of implants, after virtual planning using cone-beam CT data and surgical guide templates--a method reducing patient radiation exposure (part I). *J Craniomaxillofac Surg*, 38 (6):436-440.
- [9] Vercruyssen M, Jacobs R, Van Assche N, van Steenberghe D. 2008. The use of CT scan based planning for oral rehabilitation by means of implants and its transfer to the surgical field: a critical review on accuracy. *J Oral Rehabil*, 35 (6):454-474.
- [10] Vercruyssen M, Hultin M, Van Assche N, Svensson K, Naert I, Quirynen M. 2014. Guided surgery: accuracy and efficacy. *Periodontol 2000*, 66 (1):228-246.
- [11] Widmann G, Bale RJ. 2006. Accuracy in computer-aided implant surgery--a review. *Int J Oral Maxillofac Implants*, 21 (2):305-313.

<http://www.dgzmk.de/zahnaerzte/wissenschaft-forschung/leitlinien/details/document/indikationen-zur-implantologischen-3d-roentgendiagnostik-und-navigationsgestuetzten-implantologie.html>